

XeNTIS

next generation wheels



CARBON WHEEL TECHNOLOGY. Handmade in Austria





Riccardo Zoidl
Winner Tour of Austria 2013



Riccardo Zoidl
Austrian Champion 2013



Carbon Technologie aus der österreichischen Edelschmiede

Es gibt ein Material, das mehr leistet als andere. Ein Hochleistungswerkstoff, mit dem ein Unternehmen arbeitet wie kein anderes. **XeNTiS** - next generation wheels - fertigt Laufräder aus 100% Carbon.

XeNTiS XBP Bremsperformance

Die patentierte Bremsfläche von **XeNTiS** garantiert beste Bremsperformance bei nassen und trockenen Bedingungen. Es kommt zu keinem Verschleiß der Bremsfläche und neben den **XeNTiS** Bremsbelägen ist auch die Verwendung von Standardbremsbelägen möglich.

Weitere Vorteile von **XeNTiS** wheels:

- **XeNTiS** wheels werden lackiert und sind daher UV-beständig.
- **XeNTiS** Laufräder verfügen über einen integrierten Tachomagneten (außer SQUAD 2.5) und sind Teil des **XeNTiS** RFID-Systems, das die Nachverfolgbarkeit eines jeden Laufrades garantiert.
- **XeNTiS** wheels werden zu 100% in Österreich produziert.
- **XeNTiS** verbessert die Aerodynamik durch den ACTIVE TUBULATOR.

Carbon Technology from the Austrian high end manufacturer

There is a material that performs better than others. It is a high performance material that a company uses unlike any other. **XeNTiS** - next generation wheels - produces 100% carbon wheels.


XeNTiS XBP braking performance

The patented brake surface from **XeNTiS** guarantees the best braking performance in wet and dry conditions. No wear-out on brake surfaces and next to **XeNTiS** brake pads also standard brake pads can be used.

Further advantages of **XeNTiS** wheels are:

- **XeNTiS** wheels are coated and therefore UV resistant.
- **XeNTiS** wheels feature among an integrated tachometer magnet (except for SQUAD 2.5) also the **XeNTiS** RFID system which allows every wheel to be traced back to its origin.
- **XeNTiS** wheels are manufactured 100% in Austria.
- **XeNTiS** improves aerodynamics due to the ACTIVE TUBULATOR.

BEST BRAKE PERFORMANCE
ROADBIKE Test, Issue Nr. 08, August 2012



Tachometer magnet and RFID chip



XeNTiS brake pads for XeNTiS XBP carbon rims



XeNTiS ACTIVE TUBULATOR



- Kein Verschleiß der Bremsfläche
- Beste Bremsperformance bei Nässe und trockenen Bedingungen
- Verwendung von Standardbremsbelägen (es werden keine speziellen Carbonbremsbeläge benötigt)

- No wearout of brake surface
- Best braking performance in wet and dry conditions
- No requirement for special brake pads, standard pads for alloy rims can be re-used

TRIA

Reifendruck / tire inflation pressure

dimension	622 x 130 ETRTO	622 x 170 ETRTO	28" x 20 ETRTO / 28" x 24,6 ETRTO
tyres	clincher 18-622 to 25-622	clincher 21-622 to 25-622	tubular 28"
max. inflate	10,0 bar (18-622 ETRTO)/145 psi in 18-622 ETRTO	9,5 bar (21-622 ETRTO)/136 psi in 21-622 ETRTO	16 bar/220 psi
	9,5 bar (21-622 ETRTO)/136 psi in 21-622 ETRTO	9,0 bar (22-622 ETRTO)/130 psi in 22-622 ETRTO	
	9,0 bar (22-622 ETRTO)/130 psi in 22-622 ETRTO	9,0 bar (23-622 ETRTO)/130 psi in 23-622 ETRTO	
	9,0 bar (23-622 ETRTO)/130 psi in 23-622 ETRTO	8,0 bar (25-622 ETRTO)/116 psi in 25-622 ETRTO	
	8,0 bar (25-622 ETRTO)/116 psi in 25-622 ETRTO		

Aerodynamisch und leicht

Der Kampf gegen den inneren Schweinehund, gegen aufkommende Schmerzen bei jeder Witterung. Egal was dich vorantreibt, die **XeNTiS** Mark Linie bietet das Material auf das man sich in jeder Sekunde verlassen kann. Sowohl im täglichen Training als auch bei persönlichen Wettkampfhilights im Zeitfahren und im Triathlon!

Ihre bahnbrechende Aerodynamik durch das direction-sensitive-aero-profil und dem Hochleistungswerkstoff Carbon macht aus den Triathlonwheels äußerst aerodynamische und laufuhige Leichtgewichte sowohl für Profis als auch passionierte Radsportler und Triathleten. Die patentierte **XBP** Bremsfläche bietet beste Performance bei Nässe und trockenen Bedingungen.

Die **XeNTiS** Mark Produktlinie ist das Material im Kampf gegen die Uhr, das dich über die Limits trägt!

Aerodynamic and light weight

The battle against your weak side, the battle against the pain felt during all sorts of weather conditions. Whatever thrives you to push on – the **XeNTiS** Mark product range offers the right material to rely upon every second, every time. Perfect for daily training routines and during personal competition highlights in time trials and in triathlons.

The record breaking aerodynamic due to the direction-sensitive-aero-profile and the high performance carbon material makes these triathlon wheels extremely aerodynamic, smooth running and light weight for professionals, passionate cyclists and triathletes alike. The patented **XBP** brake surface guarantees the best braking performance in wet and dry conditions.

The **XeNTiS** Mark product range is the wheel to battle against the clock which makes you exceed your limits!





TRIA PRODUCTS



TRIA PRODUCTS

model	MARK1 TT Tubular Carbon	MARK1 TT Clincher Carbon	MARK2 TT Track WHITE / DARK
	for professionals who like to glue	really fast going without having to miss the advantages of inner tube and cover	speeds you up on the track
dimension	28" x 20 ETRTO	622 x 13C ETRTO	28" x 24,6 ETRTO
tyres	tubular 28"	clincher 18-622 to 25-622	tubular 28"
braking surface	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)	Keine / no
rim depth	58mm	58mm	65mm
rim width	21mm	21mm	24,6mm
spokes count	4	4	5
hub	XeNTIS	XeNTIS	XeNTIS Track DA
compatibility	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	BSA
accessories	XeNTIS Wheelbag / quick release / XeNTIS valve extenders for SV	XeNTIS Wheelbag / quick release / XeNTIS Rim tape	XeNTIS Wheelbag / XeNTIS valve extenders for SV
weight per set (g)	1.627	1.770	WHITE: 2.100 / DARK: 2.090
max. combined weight	120kg	120kg	120kg

model	MARK2 TT Tubular Carbon WHITE / DARK	MARK2 TT Clincher Carbon WHITE / DARK
	for professionals who like to glue	the fastest weapon for excellent riders
dimension	28" x 24,6 ETRTO	622 x 17C ETRTO
tyres	tubular 28"	clincher 18-622 to 25-622
braking surface	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)
rim depth	65mm	65mm
rim width	24,6mm	24,6mm
spokes count	5	5
hub	XeNTIS	XeNTIS
compatibility	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed
accessories	XeNTIS Wheelbag / quick release / XeNTIS valve extenders for SV	XeNTIS Wheelbag / quick release / XeNTIS Rim tape
weight per set (g)	WHITE: 1.610 / DARK: 1.590	WHITE: 1.840 / DARK: 1.820
max. combined weight	120kg	120kg



Mark 1 TT



Mark 2 TT Track WHITE
(also available in DARK)



Mark 2 TT WHITE



Mark 2 TT DARK



ROAD

Reifendruck / tire inflation pressure

dimension	622 x 13C ETRTO	622 x 17C ETRTO	28" x 20 ETRTO / 28" x 24.6 ETRTO
tyres	clincher 18-622 to 25-622	clincher 21-622 to 25-622	tubular 28"
max. inflate	10,0 bar (18-622 ETRTO)/145 psi in 18-622 ETRTO	9,5 bar (21-622 ETRTO)/136 psi in 21-622 ETRTO	16 bar/220 psi
	9,5 bar (21-622 ETRTO)/136 psi in 21-622 ETRTO	9,0 bar (22-622 ETRTO)/130 psi in 22-622 ETRTO	
	9,0 bar (22-622 ETRTO)/130 psi in 22-622 ETRTO	9,0 bar (23-622 ETRTO)/130 psi in 23-622 ETRTO	
	9,0 bar (23-622 ETRTO)/130 psi in 23-622 ETRTO	8,0 bar (25-622 ETRTO)/116 psi in 25-622 ETRTO	
	8,0 bar (25-622 ETRTO)/116 psi in 25-622 ETRTO		

XBL Clincher Carbon - XeNTiS Beginner Line

XBL ist perfekt für Einsteiger, die ein Allround-Laufrad mit **XeNTiS** Technologie handmade in Austria erleben wollen. In gewohnt hoher Qualität bietet **XeNTiS** mit dem neuen 1.260 Gramm leichten XBL 2.5 Clincher auch Einsteigern im Triathlon- und Straßenradspport ein Carbon wheel Set an. Auf wichtige Produkteigenschaften wie Steifigkeit, Stabilität und die patentierte **XBP** Bremsperformance können sich die Athleten auch beim den XBL Carbon wheel Sets (2.5, 4.2 und 5.8) verlassen.

SQUAD: mit Leidenschaft auf neue Wege

Radsport ist Passion, Radsport ist Freiheit, Radsport ist Ausbruch aus der Hektik des Alltages. Die **XeNTiS** SQUAD Kollektion bringt extra Motivation für wertvolle Meter und Sekunden.

In den Designvarianten *white* und *dark* ist die SQUAD Kollektion perfekt für jede Attacke, sei es in einer traumhaften Bergkulisse oder im Sprint um jeden Zentimeter. Die optimierte Ausrichtung der Speiche vom Felgenreing zur Nabe erzeugt herausragende Widerstandsfähigkeit und schützt vor dem Eindringen von Feuchtigkeit.

Mit 1.010 Gramm zählt das SQUAD 2.5 tubular zu den Leichtgewichten. Für Rolleure führt am neuen SQUAD 7.5 kein Weg vorbei um den Vortrieb zu spüren. Der Allrounder SQUAD 4.2 verschmilzt beide Eigenschaften um ganz vorne anzukommen und den Spaß am Produkt so richtig zu genießen!

XBL Clincher Carbon - XeNTiS Beginner Line

XeNTiS launches with the XBL 2.5 Clincher Carbon wheel set another high quality wheel for triathlon and road cyclists – this time for newcomers. Stiffness, stability and the patented **XBP** brake surface are the main product features that athletes can rely on. The XBL wheel sets (2.5, 4.2 and 5.8) are the best choice for racing beginners who want to experience **XeNTiS** carbon wheel technology made in Austria

SQUAD: With passion to new routes

Cycling is passion, cycling is freedom, cycling means escaping the everyday stress. The **XeNTiS** SQUAD collection brings extra motivation for valuable meters and seconds.

The SQUAD designs in *white* and *dark* are perfect for each and every attack, either in a wonderful mountain passage or on the final sprint for every centimeter. The optimized alignment of the spokes from the rim to the hub offers exceptional torsional stability and protects against moisture.


The SQUAD 2.5 tubular, weighing only 1.010 gram, ensures it to be one of the lightest in this range. For pack leaders, the brand new SQUAD 7.5 is the perfect option to set the pace. The all-rounder SQUAD 4.2 combines the characteristics of both wheels to ensure maximum performance and enjoy the overall qualities of the product.



ROAD PRODUCTS

model	XBL 2.5 Clincher Carbon / WHITE/ALL BLACK	XBL 4.2 Clincher Carbon / WHITE/ALL BLACK	XBL 4.2 Tubular Carbon / WHITE/ALL BLACK	XBL 5.8 Clincher Carbon / WHITE/ ALL BLACK
	the clincher lightweight	the perfect all-rounder, rim height 42 mm	excellent rolling behaviour, thanks to 16 bars of pressure	the perfect all-rounder, rim height 58 mm
dimension	622 x 13C ETRTO	622 x 13C ETRTO	28" x 20 ETRTO	622 x 13C ETRTO
tyres	clincher 18-622 to 25-622	clincher 18-622 to 25-622	tubular 28"	clincher 18-622 to 25-622
braking surface	CARBON (patentiert / patented)	CARBON (patentiert / patented)	CARBON (patentiert / patented)	CARBON (patentiert / patented)
rim depth	25mm	42mm	42mm	58mm
rim width	21mm	21mm	21mm	21mm
spokes count	20/24	20/24	20/24	16/24
hub	XeNTiS	XeNTiS	XeNTiS	XeNTiS
compatibility	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed
accessories	XeNTiS quick release / XeNTiS Rim tape	XeNTiS quick release / XeNTiS Rim tape	XeNTiS quick release / XeNTiS valve extenders for SV	XeNTiS quick release / XeNTiS Rim tape
weight per set (g)	WHITE: 1260 / ALL BLACK: 1260	WHITE: 1437 / ALL BLACK: 1437	WHITE: 1255 / ALL BLACK: 1255	WHITE: 1529 / ALL BLACK: 1529
max. combined weight	100kg	110kg	110kg	110kg

XBL 2.5 BLACK



NEW

XBL 2.5 WHITE


XBL 4.2 WHITE



NEW

XBL 4.2 BLACK

XBL 5.8 WHITE



NEW

XBL 5.8 ALL BLACK



ROAD PRODUCTS

ROAD PRODUCTS



„Das Fahrgefühl ist sensationell – leicht, steif und sehr spurtreu. Dieses wheel hat einen großen Beitrag zu meinem Erfolg geleistet.“

„The race experience on the Silver Line is sensational – light, stiff and totally stable. This wheel has contributed big time to my success.“

Riccardo Zoidl
Winner Tour of Austria 2013



Riccardo Zoidl
Winner Tour of Austria 2013

model	SQUAD 2.5 Tubular Carbon Silver Line	SQUAD 2.5 Clincher Carbon Silver Line	SQUAD 4.2 Tubular Carbon Silver Line	SQUAD 4.2 Clincher Carbon Silver Line
	lightweight design for the greatest of demands	the clincher lightweight	excellent rolling behaviour, thanks to 16 bars of pressure	the perfect all-rounder, rim height 42 mm
dimension	28" x 20 ETRTO	622 x 13C ETRTO	28" x 20 ETRTO	622 x 13C ETRTO
tyres	tubular 28"	clincher 18-622 to 25-622	tubular 28"	clincher 18-622 to 25-622
braking surface	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)
rim depth	25mm	25mm	42mm	42mm
rim width	21mm	21mm	21mm	21mm
spokes count	20/24	20/24	20/24	20/24
hub	XeNTIS straight pull CERAMIC	XeNTIS straight pull CERAMIC	XeNTIS straight pull CERAMIC	XeNTIS straight pull CERAMIC
compatibility	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed
accessories	XeNTIS Wheelbag / quick release	XeNTIS Wheelbag / quick release / XeNTIS Rim tape	XeNTIS Wheelbag / quick release / XeNTIS valve extenders for SV	XeNTIS Wheelbag / quick release / XeNTIS Rim tape
weight per set (g)	1.010	1.154	1.144	1.350
max. combined weight	100kg	100kg	110kg	110kg

model	SQUAD 5.8 Tubular Carbon Silver Line	SQUAD 5.8 Clincher Carbon Silver Line	SQUAD 7.5 Clincher Carbon Silver Line
	get the extra drive with 16 bars of pressure	aerodynamically spoked, rim height 58 mm	aerodynamically spoked, rim height 75 mm
dimension	28" x 20 ETRTO	622 x 13C ETRTO	622x17C ETRTO (700C)
tyres	tubular 28"	clincher 18-622 to 25-622	clincher 21-622 to 25-622
braking surface	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)
rim depth	58mm	58mm	75mm
rim width	21mm	21mm	24,6mm
spokes count	16/24	16/24	16/20
hub	XeNTIS straight pull CERAMIC	XeNTIS straight pull CERAMIC	XeNTIS straight pull CERAMIC
compatibility	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed
accessories	XeNTIS Wheelbag / quick release / XeNTIS valve extenders for SV	XeNTIS Wheelbag / quick release / XeNTIS Rim tape	XeNTIS Wheelbag / quick release / XeNTIS Rim tape
weight per set (g)	1.354	1.494	1.658
max. combined weight	110kg	110kg	110kg



SILVER LINE

Squad Silver Line – Gewinner der Österreich Rundfahrt

Die **XeNTIS** Silver Line ist die ultimative Wahl für Sieger mit höchsten Ansprüchen. Riccardo Zoidl, Austrian Champion gewinnt mit der **XeNTIS** Silver Line die Österreich Rundfahrt 2013 und bestätigt die Entwicklungsleistung von **XeNTIS**:

„Das Fahrgefühl ist sensationell – leicht, steif und sehr spurtreu. Dieses wheel hat einen großen Beitrag zu meinem Erfolg geleistet – danke an XeNTIS.“

Nur die besten Komponenten schaffen den Weg in die Silver Line – das sieht und spürt jede Bikerin und jeder Biker!

Squad Silver Line – Winner of the Austrian Tour

The **XeNTIS** Silver Line is the ultimate choice for winners with highest requirements. Riccardo Zoidl, Austrian Champion who won the Tour of Austria 2013 on the **XeNTIS** Silver Line confirms the development achievements of **XeNTIS**:


„The race experience on the Silver Line is sensational – light, stiff and totally stable. This wheel has contributed big time to my success – a big thank you to XeNTIS.“

Only the very best components make their way in the Silver Line – that can be seen and felt by each and every biker!

- XeNTIS hub rear: XH001-Ceramic
- 15 mm aluminium axle
 - 4 ceramic ball bearing
 - straight pull left / standard flange right
 - 20/24 holes
 - 2 systems available (Campagnolo 11-Speed, Shimano 11-Speed or SRAM)



- XeNTIS hub front: XH001-Ceramic
- 15 mm aluminium axle
 - 2 ceramic ball bearing
 - straight pull
 - 16/20 holes



SQUAD 2.5 Silver Line



SQUAD 4.2 Silver Line



SQUAD 5.8 Silver Line



SQUAD 7.5 Silver Line

NEW



ROAD PRODUCTS

ROAD PRODUCTS

Foto: © Mario Slieth



Foto: © Mario Slieth



model	SQUAD 2.5 Tubular Carbon Silver Line / BLACK MATT	SQUAD 2.5 Clincher Carbon Silver Line / BLACK MATT	SQUAD 4.2 Tubular Carbon Silver Line / BLACK MATT	SQUAD 4.2 Clincher Carbon Silver Line / BLACK MATT
	lightweight design for the greatest of demands	the clincher lightweight	excellent rolling behaviour, thanks to 16 bars of pressure	the perfect all-rounder, rim height 42 mm
dimension	28" x 20 ETRTO	622 x 13C ETRTO	28" x 20 ETRTO	622 x 13C ETRTO
tyres	tubular 28"	clincher 18-622 to 25-622	tubular 28"	clincher 18-622 to 25-622
braking surface	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)
rim depth	25mm	25mm	42mm	42mm
rim width	21mm	21mm	21mm	21mm
spokes count	20/24	20/24	20/24	20/24
hub	XeNTIS straight pull CERAMIC	XeNTIS straight pull CERAMIC	XeNTIS straight pull CERAMIC	XeNTIS straight pull CERAMIC
compatibility	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed
accessories	XeNTIS Wheelbag / quick release	XeNTIS Wheelbag / quick release / XeNTIS Rim tape	XeNTIS Wheelbag / quick release / XeNTIS valve extenders for SV	XeNTIS Wheelbag / quick release / XeNTIS Rim tape
weight per set (g)	1.010	1.154	1.144	1.350
max. combined weight	100kg	100kg	110kg	110kg

model	SQUAD 5.8 Tubular Carbon Silver Line / BLACK MATT	SQUAD 5.8 Clincher Carbon Silver Line / BLACK MATT	SQUAD 7.5 Clincher Carbon Silver Line / BLACK MATT
	get the extra drive with 16 bars of pressure	aerodynamically spoked, rim height 58 mm	aerodynamically spoked, rim height 75 mm
dimension	28" x 20 ETRTO	622 x 13C ETRTO	622x17C ETRTO (700C)
tyres	tubular 28"	clincher 18-622 to 25-622	clincher 21-622 to 25-622
braking surface	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)
rim depth	58mm	58mm	75mm
rim width	21mm	21mm	24,6mm
spokes count	16/24	16/24	16/20
hub	XeNTIS straight pull CERAMIC	XeNTIS straight pull CERAMIC	XeNTIS straight pull CERAMIC
compatibility	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed
accessories	XeNTIS Wheelbag / quick release / XeNTIS valve extenders for SV	XeNTIS Wheelbag / quick release / XeNTIS Rim tape	XeNTIS Wheelbag / quick release / XeNTIS Rim tape
weight per set (g)	1.354	1.494	1.658
max. combined weight	110kg	110kg	110kg

NEW



SQUAD 2.5 Silver Line BLACK MATT

NEW



SQUAD 4.2 Silver Line BLACK MATT

NEW



SQUAD 5.8 Silver Line BLACK MATT

NEW



SQUAD 7.5 Silver Line BLACK MATT



XeNTIS hubs XH001-Ceramic

- XeNTIS hub front: XH001
- 15 mm aluminium axle
 - 2 ceramic ball bearing
 - straight pull
 - 16/20 holes
- XeNTIS hub rear: XH001
- 15 mm aluminium axle
 - 4 ceramic ball bearing
 - straight pull left / standard flange right
 - 20/24 holes
 - 2 systems available (Campagnolo 11-Speed, Shimano 11-Speed or SRAM)



ROAD PRODUCTS



ROAD PRODUCTS

model	SQUAD 2.5 Tubular Carbon WHITE	SQUAD 2.5 Clincher Carbon WHITE	SQUAD 4.2 Tubular Carbon WHITE	SQUAD 4.2 Clincher Carbon WHITE
	lightweight design for the greatest of demands	for higher ambitions, rim height 25 mm	excellent rolling behaviour thanks to	the perfect all-rounder, rim height 42 mm
dimension	28" x 20 ETRTO	622 x 13C ETRTO	28" x 20 ETRTO	622 x 13C ETRTO
tyres	tubular 28"	clincher 18-622 to 25-622	tubular 28"	clincher 18-622 to 25-622
braking surface	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)
rim depth	25mm	25mm	42mm	42mm
rim width	21mm	21mm	21mm	21mm
spokes count	20/24	20/24	20/24	20/24
hub	XeNTiS straight pull	XeNTiS straight pull	XeNTiS straight pull	XeNTiS straight pull
compatibility	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed
accessories	XeNTiS Wheelbag / quick release	XeNTiS Wheelbag / quick release / XeNTiS Rim tape	XeNTiS Wheelbag / quick release / XeNTiS valve extengen for SV	XeNTiS Wheelbag / quick release / XeNTiS Rim tape
weight per set (g)	1.068	1.218	1.248	1.408
max. combined weight	100kg	100kg	110kg	110kg

model	SQUAD 5.8 Tubular Carbon WHITE	SQUAD 5.8 Clincher Carbon WHITE	SQUAD 7.5 Clincher Carbon WHITE
	get the extra drive with 16 bars of pressure	aerodynamically spoked, rim height 58 mm	aerodynamically spoked, rim height 75 mm
dimension	28" x 20 ETRTO	622 x 13C ETRTO	622x17C ETRTO (700C)
tyres	tubular 28"	clincher 18-622 to 25-622	clincher 21-622 to 25-622
braking surface	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)
rim depth	58mm	58mm	75mm
rim width	21mm	21mm	24,6mm
spokes count	16/24	16/24	16/20
hub	XeNTiS straight pull	XeNTiS straight pull	XeNTiS straight pull
compatibility	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed
accessories	XeNTiS Wheelbag / quick release / XeNTiS valve extengen for SV	XeNTiS Wheelbag / quick release / XeNTiS Rim tape	XeNTiS Wheelbag / quick release / XeNTiS Rim tape
weight per set (g)	1.410	1.529	1.710
max. combined weight	110kg	110kg	110kg



SQUAD 2.5 Shiny White



SQUAD 4.2 Shiny White



SQUAD 5.8 Shiny White



SQUAD 7.5 Shiny White



ROAD PRODUCTS



ROAD PRODUCTS

model	SQUAD 2.5 Tubular Carbon BLACK MATT	SQUAD 2.5 Clincher Carbon BLACK MATT	SQUAD 4.2 Tubular Carbon BLACK MATT	SQUAD 4.2 Clincher Carbon BLACK MATT
	lightweight design for the greatest of demands	for higher ambitions, rim height 25 mm	excellent rolling behaviour thanks to	the perfect all-rounder, rim height 42 mm
dimension	28" x 20 ETRTO	622 x 13C ETRTO	28" x 20 ETRTO	622 x 13C ETRTO
tyres	tubular 28"	clincher 18-622 to 25-622	tubular 28"	clincher 18-622 to 25-622
braking surface	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)
rim depth	25mm	25mm	42mm	42mm
rim width	21mm	21mm	21mm	21mm
spokes count	20/24	20/24	20/24	20/24
hub	XeNTIS straight pull	XeNTIS straight pull	XeNTIS straight pull	XeNTIS straight pull
compatibility	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed
accessories	XeNTIS Wheelbag / quick release	XeNTIS Wheelbag / quick release / XeNTIS Rim tape	XeNTIS Wheelbag / quick release / XeNTIS valve extengen for SV	XeNTIS Wheelbag / quick release / XeNTIS Rim tape
weight per set (g)	1.024	1.174	1.228	1.377
max. combined weight	100kg	100kg	110kg	110kg

model	SQUAD 5.8 Tubular Carbon BLACK MATT	SQUAD 5.8 Clincher Carbon BLACK MATT	SQUAD 7.5 Clincher Carbon BLACK MATT
	get the extra drive with 16 bars of pressure	aerodynamically spoked, rim height 58 mm	aerodynamically spoked, rim height 75 mm
dimension	28" x 20 ETRTO	622 x 13C ETRTO	622x17C ETRTO (700C)
tyres	tubular 28"	clincher 18-622 to 25-622	clincher 21-622 to 25-622
braking surface	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)	XBP CARBON (patentiert / patented)
rim depth	58mm	58mm	75mm
rim width	21mm	21mm	24,6mm
spokes count	16/24	16/24	16/20
hub	XeNTIS straight pull	XeNTIS straight pull	XeNTIS straight pull
compatibility	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed	Campagnolo 9/10/11-Speed Shimano 9/10/11-Speed SRAM 10/11-Speed
accessories	XeNTIS Wheelbag / quick release / XeNTIS valve extengen for SV	XeNTIS Wheelbag / quick release / XeNTIS Rim tape	XeNTIS Wheelbag / quick release / XeNTIS Rim tape
weight per set (g)	1.390	1.509	1.674
max. combined weight	110kg	110kg	110kg



SQUAD 2.5 BLACK MATT



SQUAD 4.2 BLACK MATT



SQUAD 5.8 BLACK MATT



SQUAD 7.5 BLACK MATT



BIKE

Reifendruck / tire inflation pressure

dimension	559 x 19C ETRTO 26"	584x23C ETRTO 27.5"	622x19 C ETRTO 29"	622 x 13C ETRTO
tyres	clincher 28-559 to 60-559	clincher 47-584 to 60-584	clincher 25-622-60-622	clincher 18-622 to 25-622
max. inflate	6 bar (26x1 Zoll)/87 psi in 25-559 ETRTO 3,5 bar (26x1,85 Zoll)/50 psi in 47-559 ETRTO 3 bar (26x2,10 Zoll)/43 psi in 54-559 ETRTO 2,7bar (26x2,25 Zoll)/37 psi in 57-559 ETRTO 2,4 bar (26x2,35 Zoll)/34 psi in 60-559 ETRTO	3,5 bar (27,5x1,85 Zoll)/50 psi in 47-584 ETRTO 3 bar (27,5x2,10 Zoll)/43 psi in 54-584 ETRTO 2,7bar (27,5x2,25 Zoll)/37 psi in 57-584 ETRTO 2,4 bar (27,5x2,35 Zoll)/34 psi in 60-584 ETRTO	6 bar (29x1 Zoll)/87 psi in 25-622 ETRTO 3,5 bar (29x1,75 Zoll)/50 psi in 47-622 ETRTO 3 bar (29x2,10 Zoll)/43 psi in 54-622 ETRTO 2,7bar (26x2,25 Zoll)/37 psi in 57-622 ETRTO 2,4 bar (26x2,35 Zoll)/34 psi in 60-622 ETRTO	10,0 bar (18-622 ETRTO)/145 psi in 18-622 ETRTO 9,5 bar (21-622 ETRTO)/136 psi in 21-622 ETRTO 9,0 bar (22-622 ETRTO) /130 psi in 22-622 ETRTO 9,0 bar (23-622 ETRTO)/130 psi in 23-622 ETRTO 8,0 bar (25-622 ETRTO)/116 psi in 25-622 ETRTO

KAPPA2 CC 26" & 27.5" - die Mountainbike Waffen von XeNTiS

Das KAPPA2 CC besticht mit einzigartigem Design, neuester Technik und unschlagbarer Spurtreue sowie Monocoque Bauweise. So sehen 1.330 Gramm handgemachte Qualität aus Österreich aus. Für jede Abkürzung zu haben und im Einsatz selbst beinahe unzerstörbar. Das ist ein neuer Standard in punkto Performance und Design – das ist **XeNTiS**.

SQUAD 2.5 MTB 27.5" - 1.230 g

Die extrem breite Vollcarbonfelge des Squad 2.5 MTB 27.5 von 30.2 mm sorgt für beste Seitensteifigkeit in und abseits der Trails. Auf das gewichtsoptimierte Felgenreng Set von 1.290 Gramm ist Verlass, denn das High End Laufrad wurde für höchste Race-Ansprüche im XC Bereich entwickelt. Ein wheel, das endlich loslegen will: tubeless tauglich, von Hand gespeicht und signiert.

SQUAD 2.5 MTB 29" - ab 1.290 g

Hoher Spaßfaktor durch Laufruhe, Seitensteifigkeit und direktes Einlenkverhalten, so präsentiert sich die neueste Entwicklung der SQUAD 2.5 MTB 29er Modellreihe aus dem Hause **XeNTiS**. Die gewohnt hohe Qualität, Leichtläufigkeit und Agilität der **XeNTiS** Laufräder setzt sich im Off-Road Bereich fort. Die 2 Gewichtsvarianten der 29 Zoll Tubeless-wheels lassen passionierte Bikerherzen höher schlagen. Handmade in Austria, leistungstark und federleicht.

KAPPA2 CC 26" - the mountainbike weapon from XeNTiS

The KAPPA2 CC features a unique design, latest technology, unmatched directional stability and monocoque construction. This is what 1.330 gram of hand build Austrian quality looks like. Take every short cut available without worrying about failures as **XeNTiS** wheels are nearly indestructible. That is the new standard for performance and design - that is **XeNTiS**.

SQUAD 2.5 MTB 27.5" - 1.230 g

With 30.2 mm width, the very broad full carbon rim of the Squad 2.5 MTB 27.5 gives best lateral stiffness in and off the trails. You can rely on the weight optimised carbon rim of only 1.290 gram as this high end wheel was developed for ultimate racing requirements. A wheel that is raring to go: tubeless compatible, spoked manually and signed – and all that in Austria.

SQUAD 2.5 MTB 29" - from 1.290 g

More fun due to less roll resistance, more lateral stability and direct steering characteristics, these are some of the attributes of the latest **XeNTiS** SQUAD 2.5 MTB 29er development. The expected high quality, lightweight construction and agility of the **XeNTiS** wheels are the benchmark in off-road territory. The 2 different weight options of the 29 inch Tubeless wheels guarantee to impress all passionate bikers.

KAPPA

model	KAPPA2 CC 27,5 QR5 / QR5	KAPPA2 CC 27,5 QR15 / X12
	heats up the irons for the marathon	heats up the irons for the marathon
dimension	584x23C ETRTO 27.5"	584x23C ETRTO 27.5"
tyres	clincher tyres 28-584 to 60-584	clincher tyres 28-584 to 60-584
braking surface	keine / no	keine / no
rim depth	35mm	35mm
rim width	30,2mm	30,2mm
spokes count	4	4
hub	XeNTiS / QR5/QR5	XeNTiS / QR15/X12
compatibility	Shimano 9/10/11-Speed SRAM 10-Speed SRAM XX1	Shimano 9/10/11-Speed SRAM 10-Speed SRAM XX1
accessories	XeNTiS Wheelbag / quick release	XeNTiS Wheelbag
weight per set (g)	1.360	1.370
max. combined weight	120kg	120kg

NEW



KAPPA2 CC 27.5



BIKE PRODUCTS



BIKE PRODUCTS

model	KAPPA2 CC 26 QR5 / QR5	KAPPA2 CC 26 QR15 / X12	SQUAD 2.5 MTB 27,5 Clincher Carbon QR5 / QR5 / WHITE/BLACK
	heats up the irons for the marathon	heats up the irons for the marathon	uphill performance with disc adaptor
dimension	559 x 19C ETRTO 26"	559 x 19C ETRTO 26"	584x23C ETRTO 27.5"
tyres	clincher tyres 28-559 to 60-559	clincher tyres 28-559 to 60-559	clincher tyres 28-584 to 60-584
braking surface	keine / no	keine / no	keine / no
rim depth	35mm	35mm	25mm
rim width	25,6mm	25,6mm	30,2mm
spokes count	4	4	28 / 28
hub	XeNTiS / QR5/QR5	XeNTiS / QR15/X12	XeNTiS straight pull / QR5/QR5
compatibility	Shimano 9/10-Speed SRAM 10-Speed SRAM XX1	Shimano 9/10-Speed SRAM 10-Speed SRAM XX1	Shimano 9/10-Speed SRAM 10-Speed SRAM XX1
accessories	XeNTiS Wheelbag / quick release	XeNTiS Wheelbag	XeNTiS Wheelbag / quick release / XeNTiS Rim tape
weight per set (g)	1.335	1.345	1.230
max. combined weight	120kg	120kg	90kg

model	SQUAD 2.5 MTB 27,5 Clincher Carbon QR15/X12 / WHITE/BLACK	SQUAD 2.5 MTB 29er CC Clincher Carbon QR5 / QR5 / WHITE/BLACK	SQUAD 2.5 MTB 29er CC Clincher Carbon QR15/X12 / WHITE/BLACK
	uphill performance with disc adaptor	the racing type	the racing type
dimension	584x23C ETRTO 27.5"	622x19 C ETRTO 29"	622x19 C ETRTO 29"
tyres	clincher tyres 28-584 to 60-584	clincher tyres 28-622-60-622	clincher tyres 28-622-60-622
braking surface	keine / no	keine / no	keine / no
rim depth	25mm	25mm	25mm
rim width	30,2mm	25,6mm	25,6mm
spokes count	28 / 28	28 / 28	28 / 28
hub	XeNTiS straight pull / QR15/X12	XeNTiS straight pull / QR5/QR5	XeNTiS straight pull / QR15/X12
compatibility	Shimano 9/10-Speed SRAM 10-Speed SRAM XX1	Shimano 9/10-Speed SRAM 10-Speed SRAM XX1	Shimano 9/10-Speed SRAM 10-Speed SRAM XX1
accessories	XeNTiS Wheelbag / XeNTiS Rim tape	XeNTiS Wheelbag / quick release / XeNTiS Rim tape	XeNTiS Wheelbag / XeNTiS Rim tape
weight per set (g)	1.230	1.290	1.290
max. combined weight	90kg	90kg	90kg



KAPPA2 CC



SQUAD 2.5 MTB 27,5



SQUAD 2.5 MTB 29er CC

- XeNTiS hub front: XSB 100
- 17 mm aluminium axle
 - 2 steel ball bearing
 - straight pull
 - 28 holes
 - axle systems: QR5 / Q15

- XeNTiS hub rear: XSB 142
- 17 mm aluminium axle
 - 3 steel ball bearing, 1 ceramic ball bearing
 - straight pull
 - 28 holes
 - axle systems: QR5 / X12
 - 4 systems available (Campagnolo 11-Speed, Shimano 10/11-Speed or SRAM XX1)



NEW



BIKE PRODUCTS



BIKE PRODUCTS

model	SQUAD 2.5 MTB Clincher Carbon 29er QR5 / QR5 / WHITE/BLACK	SQUAD 2.5 MTB Clincher Carbon 29er QR15 / X12 / WHITE/BLACK	SQUAD 4.2 Disc Clincher Carbon QR5 / QR5 / WHITE/BLACK
	ready for every challenge	ready for every challenge	with disc power for crossers
dimension	622x19 C ETRTO 29"	622x19 C ETRTO 29"	622 x 13C ETRTO
tyres	clincher tyres 28-622-60-623	clincher tyres 28-622-60-623	clincher 18-622 to 25-622
braking surface	keine / no	keine / no	keine / no
rim depth	25mm	25mm	42mm
rim width	25,6mm	25,6mm	21mm
spokes count	28 / 28	28 / 28	28 / 28
hub	XeNTIS straight pull / QR5/QR5	XeNTIS straight pull / QR15/X12	XeNTIS straight pull / QR5/QR5
compatibility	Shimano 9/10-Speed SRAM 10-Speed SRAM XX1	Shimano 9/10-Speed SRAM 10-Speed SRAM XX1	Shimano / SRAM 9/10-Speed Campagnolo 11-Speed SRAM XX1
accessories	XeNTIS Wheelbag / quick release / XeNTIS Rim tape	XeNTIS Wheelbag / XeNTIS Rim tape	XeNTIS Wheelbag / quick release / XeNTIS Rim tape
weight per set (g)	1.430	1.430	1.476
max. combined weight	100kg	100kg	110kg

model	XBL 2.5 MTB 27,5 Clincher Carbon QR5 / QR5 / WHITE/BLACK	XBL 2.5 MTB 27,5 Clincher Carbon QR15/X12 / WHITE/BLACK
	uphill performance with disc adaptor	uphill performance with disc adaptor
dimension	584x23C ETRTO 27.5"	584x23C ETRTO 27.5"
tyres	clincher tyres 28-584 to 60-584	clincher tyres 28-584 to 60-584
braking surface	keine / no	keine / no
rim depth	25mm	25mm
rim width	30,2mm	30,2mm
spokes count	28/ 28	32 / 32
hub	XeNTIS / QR5/QR5	XeNTIS / QR15/X12
compatibility	Shimano 9/10/11-Speed SRAM 10-Speed SRAM XX1	Shimano 9/10/11-Speed SRAM 10-Speed SRAM XX1
accessories	XeNTIS quick release / XeNTIS Rim tape	XeNTIS Rim tape
weight per set (g)	WHITE:1320 / BLACK: 1320	WHITE: 1380 / BLACK: 1380
max. combined weight	90Kg	90Kg

NEW



SQUAD 2.5 MTB 29er

NEW

CYCLE CROSS APPROVED!



SQUAD 4.2 Disc

NEW



XBL 2.5 MTB 27,5 WHITE

NEW



XBL 2.5 MTB 27,5 BLACK



BIKE PRODUCTS

XEBUL MTB




PARTS

model	XBL 2.5 MTB 29er Clincher Carbon QR5 / QR5 /WHITE/BLACK	XBL 2.5 MTB 29er Clincher Carbon QR15/X12 WHITE/BLACK
	uphill performance with disc adaptor	uphill performance with disc adaptor
dimension	622x19C ETRTO 29"	622x19C ETRTO 29"
tyres	clincher tyres 28-622 to 60-622	clincher tyres 28-622 to 60-622
braking surface	keine / no	keine / no
rim depth	25mm	25mm
rim width	25,6mm	25,6mm
spokes count	28 / 28	32 / 32
hub	XeNTiS / QR5/QR5	XeNTiS / QR15/X12
compatibility	Shimano 9/10/11-Speed SRAM 10-Speed SRAM XX1	Shimano 9/10/11-Speed SRAM 10-Speed SRAM XX1
accessories	XeNTiS quick release / XeNTiS Rim tape	XeNTiS Rim tape
weight per set (g)	WHITE: 1370 / BLACK: 1370	WHITE: 1450 / BLACK: 1450
max. combined weight	90Kg	90Kg



Ceramic ball bearing



Nipples and spokes



Valve extenders



Shimano 11-Speed body



Campagnolo body



MTB Shimano 10-Speed body



MTB SRAM XX1 body



Rim tape



Spoke tool



Quick release MTB or ROAD

NEW



XBL 2.5 MTB 29er WHITE

NEW



XBL 2.5 MTB 29er BLACK



Forschung & Entwicklung

Die Entwicklung eines neuen XeNTiS wheels ist aufwändig und zeitintensiv. So werden mittels CAD und FE Berechnungssystemen optimale Prototypen konstruiert und analysiert. Erst wenn die entsprechenden Ergebnisse vorliegen, kommen die neuen wheels zu den computergestützten Aerodynamik Tests, die abschließend mit Ergebnissen des Prototypen aus dem Windkanal überprüft werden.

Research & Development

The development of new XeNTiS wheels is complex and time intensive. Using CAD and FE calculation programs, optimal prototypes are constructed and analysed. Once appropriate test results are achieved, the wheels go through computer aided aerodynamic tests which are parallel compared to the prototype wheels which are tested in the wind tunnel.

Carbon Technologie

Das zur Gänze von Hand verarbeitete Carbonfasergewebe wird faser- und belastungsgerecht laminiert. Durch den im Gewebe speziell vordefinierten Harzgehalt wird optimale Steifigkeit bei geringstem Gewicht gewährleistet. So wird jedes wheel zu 100 % aus Carbon in Monocoque Bauweise gefertigt.

Carbon Technology

The complete carbon fibre webbing & laminating process is strictly carried out by hand. Due to the special defined amount of resin, the optimal torsional stiffness is gained at a minimum weight. All wheels are manufactured from 100% carbon and are monocoque constructed.





SPORTSWEAR



11006
XeNTiS - Trinkflasche,
750 ml

11006
XeNTiS - drinking bottle,
750 ml



X0300S
XeNTiS - Kappe schwarz,
atmungsaktiv, Einheitsgröße

X0300S
XeNTiS - cap black,
breathable, unisize

X0300W
XeNTiS - Kappe weiß,
atmungsaktiv, Einheitsgröße

X0300W
XeNTiS - cap white,
breathable, unisize



11005
XeNTiS - Fahrrad Socken, atmungsaktiv,
70% Baumwolle, 21% Lycra, 5% Elasthan,
4% Polyamid

11005
XeNTiS - cycling socks, breathable,
70% cotton, 21% lycra, 5% elasthan,
4% polyamid



11004
XeNTiS - Fahrrad Handschuhe, strapazierfähige, elastische
Obermaterialien

11004
XeNTiS - cycling gloves, sturdy, flexible
upper materials



11002
XeNTiS - Trikot kurzarm mit
durchgehendem Zipp,
aerodynamischer Schnitt,
100% Polyester,
Größen S - XL

11002
XeNTiS - jersey short sleeves
with full zipp,
fitted aerodynamically,
100% polyester,
sizes S - XL



11XWHEELBAG1
XeNTiS - wheel bag,
Größe: 81x80x13 cm für
2 Räder mit 2 Fächern
und extra Polsterung,
extra Innentasche,
Befestigungskordel für
jedes Rad

11XWHEELBAG2
XeNTiS - wheel bag,
Größe: 81x80x19 cm für
2 Räder mit 2 Fächern
und extra Polsterung,
extra Innentasche,
Befestigungskordel für
jedes Rad

11XWHEELBAG1
XeNTiS - wheel bag,
size: 81x80x13 cm
for 2 wheels with 2
compartments and extra
padding, separate inner
pocket, fixation cord for
each wheel

11XWHEELBAG2
XeNTiS - wheel bag,
size: 81x80x19 cm
for 2 wheels with 2
compartments and extra
padding, separate inner
pocket, fixation cord for
each wheel



11003
XeNTiS - Ärmlinge,
100% Lycra

11003
XeNTiS - arm warmers,
100 % lycra



11001
XeNTiS - Radhose kurz mit Träger,
höchste Qualität, 73% Nylon, 27%
Spandex,
Größen S - XL

11001
XeNTiS - cycling bib shorts,
premium quality, 73% nylon, 27%
spandex,
sizes S - XL

XeNTiS Composite Entwicklungs- und Produktions GmbH
Dr. Niederdorferstraße 25, 8572 Bärnbach, Austria
Tel.: +43 (0)3142-60945-0, Fax: +43 (0)3142-60945-690, office@xentis.com, www.xentis.com
UID-Nr.: ATU 66236619, DVR-Nr.: 0804398, Firmenbuch: FN 357604 p, LG Graz



Pictures: © XeNTiS Composite GmbH
Pictures Riccardo Zoidl: © Mario Stiehl

[D/E 09/14] X0020DE-15

XeNTiS Produkte können Abweichungen enthalten, Spezifikationen können ohne vorherige Ankündigungen geändert werden. Gewichtsschwankungen können aufgrund der Produktionsmethode des Laufrades auftreten. Alle XeNTiS wheels sind in Clincher und Tubular erhältlich. Irrtümer und Änderungen vorbehalten! XeNTiS products may not be exactly as shown, specifications subject to change without notice. Weight tolerances may occur due to the manufacturing process. All XeNTiS wheels are available in clincher and tubular version. Errors and omissions excepted!