



**WorkBook 2018**



Natural Born Winner

## F-Series

- 4 **DOGMA F10 Xlight**
- 10 **DOGMA F10**
- 26 **DOGMA F10 Disk**
- 32 **DOGMA F8**

## K-Series

- 34 **DOGMA K10 S Disk**
- 38 **DOGMA K10**

## Gan-Series

- 42 **GAN RS**
- 48 **GAN S**
- 55 **GAN**
- 62 **GAN DISK**
- 66 **GAN K DISK**

- 70 **GAN GRS Disk**
- 75 **GAN GR Disk**

## Beginners

- 80 **RAZHA**
- 84 **ANGLIRU**

- 88 **MERCURIO DISK**
- 83 **NEOR**
- 96 **PRIMA**

## Kids

- 98 **SPEEDY**

## Specials

- 100 **BOLIDE HR**
- 102 **BOLIDE TT**
- 104 **MAAT**

- 106 **XTRACK**
- 108 **PISTA**

- 110 **FCX CROSS**

## Urban

- 113 **TREVISO DISK**
- 116 **TREVISO**
- 118 **LUNGAVITA**

## Mtb

- 121 **DOGMA XM 9.9 Full**
- 123 **DOGMA XC 9.9 Hardtail**
- 127 **DOGMA XC 7.7 Hardtail**

- 131 **ROKH XC 9.9 Hardtail**

## E-Bike

- 134 **ANDROMEDA 7.7 Hardtail**

- 137 **ROKH Hybrid 7.7 Full**
- 140 **ROKH Hybrid 7.7 Hardtail**



DOGMA  
F10  
LIGHT

**DOGMA**  
**F10**  
LIGHT

**PINARELLO**  
ThinkAsymmetric

**Carbon Torayca T1100 UD Dream Carbon**  
with Nanoalloy Technology  
**Asymmetric Frame**  
**Fork ONDA F10 with ForkFlap™**  
**Think2 System with E-Link™**  
**ICR™** Internal Cable Routing  
Drop in Bearing System **1" 1/8 - 1" 1/2**  
**Italian thread BB**  
Seatclamp **TwinForce**  
**3XAir™** two positions available  
for the second bottle  
**FlatBack Profile**  
**UCI Approved**  
**Max Tyre 700x25mm**

**925 Black Matt**



**DOGMA**  
**F10**  
LIGHT

**Carbon Torayca T1100 UD Dream Carbon**  
with Nanoalloy Technology  
**Asymmetric Frame**  
**Fork ONDA F10 with ForkFlap™**  
**Think2 System with E-Link™**  
**ICR™** Internal Cable Routing  
Drop in Bearing System **1" 1/8 - 1" 1/2**  
**Italian thread BB**  
Seatclamp **TwinForce**  
**3XAir™** two positions available  
for the second bottle  
**FlatBack Profile**  
**UCI Approved**  
**Max Tyre 700x25mm**

**PINARELLO**  
ThinkAsymmetric

**922 Team Sky**



**DOGMA**  
**F10**  
**LIGHT**

Carbon Torayca T1100 UD Dream Carbon  
with Nanoalloy Technology  
Asymmetric Frame  
Fork ONDA F10 with ForkFlap™  
Think2 System with E-Link™  
ICR™ Internal Cable Routing  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Italian thread BB  
Seatclamp TwinForce  
3XAir™ two positions available  
for the second bottle  
FlatBack Profile  
UCI Approved  
Max Tyre 700x25mm

**PINARELLO**  
ThinkAsymmetric

**923 Red Lines**



**DOGMA**  
**F10**  
LIGHT

Carbon Torayca T1100 UD Dream Carbon  
with Nanoalloy Technology  
Asymmetric Frame  
Fork ONDA F10 with ForkFlap™  
Think2 System with E-Link™  
ICR™ Internal Cable Routing  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Italian thread BB  
Seatclamp TwinForce  
3XAir™ two positions available  
for the second bottle  
FlatBack Profile  
UCI Approved  
Max Tyre 700x25mm

**PINARELLO**  
ThinkAsymmetric

927 Black TDF RHINO



**DOGMA**  
**F10**  
LIGHT

**Carbon Torayca T1100 UD Dream Carbon**  
with Nanoalloy Technology  
**Asymmetric Frame**  
**Fork ONDA F10 with ForkFlap™**  
**Think2 System with E-Link™**  
**ICR™** Internal Cable Routing  
Drop in Bearing System **1" 1/8 - 1" 1/2**  
**Italian thread BB**  
Seatclamp **TwinForce**  
**3XAir™** two positions available  
for the second bottle  
**FlatBack Profile**  
**UCI Approved**  
**Max Tyre 700x25mm**

**PINARELLO**  
ThinkAsymmetric

**930 Black TDF**





**DOGMA  
F10**

# DOGMA F10

**Carbon Torayca T1100 1K Dream Carbon**  
with Nanoalloy Technology

**Asymmetric Frame**

**Fork ONDA F10 with ForkFlap™**

**Think2 System with E-Link™**

**ICR™** Internal Cable Routing

**Drop in Bearing System 1" 1/8 - 1" 1/2**

**Italian thread BB**

Seatclamp **TwinForce**

**3XAir™** two positions available  
for the second bottle

**FlatBack Profile**

**UCI Approved**

**Max Tyre 700x25mm**

**PINARELLO**  
ThinkAsymmetric



**167 Black Lava**

# DOGMA F10

**Carbon Torayca T1100 1K Dream Carbon**  
with Nanoalloy Technology

**Asymmetric Frame**

**Fork ONDA F10 with ForkFlap™**

**Think2 System with E-Link™**

**ICR™** Internal Cable Routing

**Drop in Bearing System 1" 1/8 - 1" 1/2**

**Italian thread BB**

Seatclamp **TwinForce**

**3XAir™** two positions available  
for the second bottle

**FlatBack Profile**

**UCI Approved**

**Max Tyre 700x25mm**

**PINARELLO**  
ThinkAsymmetric

**168 Sulfur Yellow**



# DOGMA F10

**Carbon Torayca T1100 1K Dream Carbon**  
with Nanoalloy Technology

**Asymmetric Frame**

**Fork ONDA F10 with ForkFlap™**

**Think2 System with E-Link™**

**ICR™** Internal Cable Routing

**Drop in Bearing System 1" 1/8 - 1" 1/2**

**Italian thread BB**

Seatclamp **TwinForce**

**3XAir™** two positions available  
for the second bottle

**FlatBack Profile**

**UCI Approved**

**Max Tyre 700x25mm**

**PINARELLO**  
ThinkAsymmetric



**166 Red Magma**

# DOGMA F10

**Carbon Torayca T1100 1K Dream Carbon**  
with Nanoalloy Technology

**Asymmetric Frame**

**Fork ONDA F10 with ForkFlap™**

**Think2 System with E-Link™**

**ICR™** Internal Cable Routing

**Drop in Bearing System 1" 1/8 - 1" 1/2**

**Italian thread BB**

**Seatclamp TwinForce**

**3XAir™** two positions available  
for the second bottle

**FlatBack Profile**

**UCI Approved**

**Max Tyre 700x25mm**

**PINARELLO**  
ThinkAsymmetric

165 Sideral White



# DOGMA F10

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available  
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO  
ThinkAsymmetric



170 BoB

# DOGMA F10

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available  
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO  
ThinkAsymmetric

169 Asteroid Red



# DOGMA F10

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available  
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO  
ThinkAsymmetric

905 Team Sky



# DOGMA F10

**Carbon Torayca T1100 1K Dream Carbon**  
with Nanoalloy Technology

**Asymmetric Frame**

**Fork ONDA F10 with ForkFlap™**

**Think2 System with E-Link™**

**ICR™** Internal Cable Routing

**Drop in Bearing System 1" 1/8 - 1" 1/2**

**Italian thread BB**

Seatclamp **TwinForce**

**3XAir™** two positions available  
for the second bottle

**FlatBack Profile**

**UCI Approved**

**Max Tyre 700x25mm**

**PINARELLO**  
ThinkAsymmetric

**919 Team Sky White**



# DOGMA F10

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available  
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO  
ThinkAsymmetric



911 Colombia

# DOGMA F10

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available  
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO  
ThinkAsymmetric

906 Wiggins Black



# DOGMA F10

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available  
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO  
ThinkAsymmetric

912 Wiggins White



# DOGMA F10

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available  
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

913 GFP17

924 GFP17 DISK

PINARELLO  
ThinkAsymmetric



# DOGMA F10

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available  
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO  
ThinkAsymmetric

914 GIRO 100



# DOGMA F10

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available  
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

PINARELLO  
ThinkAsymmetric

929 Yellow RHINO TDF 2017



# DOGMA F10

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available  
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x25mm

**PINARELLO**  
ThinkAsymmetric

928 Yellow TDF 2017





DOGMA  
F10  
DISK

# DOGMA F10 DISK

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available

FlatBack Profile

UCI Approved

RAD SYSTEM Disk brake

Front Axle 100x12mm Shimano®

Rear Axle 142x12mm Shimano®

Disk Flat Mount max 160mm

Max Tyre 700x25mm

915 Mars Orange

PINARELLO  
ThinkAsymmetric



# DOGMA F10 DISK

**Carbon Torayca T1100 1K Dream Carbon**  
with Nanoalloy Technology  
**Asymmetric Frame**  
**Fork ONDA F10 with ForkFlap™**  
**Think2 System with E-Link™**  
**ICR™** Internal Cable Routing  
**Drop in Bearing System 1" 1/8 - 1"1/2**  
**Italian thread BB**  
**Seatclamp TwinForce**  
**3XAir™** two positions available  
**FlatBack Profile**  
**UCI Approved**  
**RAD SYSTEM** Disk brake  
**Front Axle 100x12mm Shimano®**  
**Rear Axle 142x12mm Shimano®**  
**Disk Flat Mount max 160mm**  
**Max Tyre 700x25mm**

**916 Black Lava**

**PINARELLO**  
ThinkAsymmetric



# DOGMA F10 DISK

**Carbon Torayca T1100 1K Dream Carbon**  
with Nanoalloy Technology  
**Asymmetric Frame**  
**Fork ONDA F10 with ForkFlap™**  
**Think2 System with E-Link™**  
**ICR™** Internal Cable Routing  
Drop in Bearing System **1" 1/8 - 1" 1/2**  
**Italian thread BB**  
Seatclamp **TwinForce**  
**3XAir™** two positions available  
**FlatBack Profile**  
**UCI Approved**  
**RAD SYSTEM** Disk brake  
**Front Axle 100x12mm Shimano®**  
**Rear Axle 142x12mm Shimano®**  
**Disk Flat Mount max 160mm**  
**Max Tyre 700x25mm**

**917 BoB**

**PINARELLO**  
ThinkAsymmetric



# DOGMA F10 DISK

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology  
Asymmetric Frame  
Fork ONDA F10 with ForkFlap™  
Think2 System with E-Link™  
ICR™ Internal Cable Routing  
Drop in Bearing System 1" 1/8 - 1"1/2  
Italian thread BB  
Seatclamp TwinForce  
3XAir™ two positions available  
FlatBack Profile  
UCI Approved  
RAD SYSTEM Disk brake  
Front Axle 100x12mm Shimano®  
Rear Axle 142x12mm Shimano®  
Disk Flat Mount max 160mm  
Max Tyre 700x25mm

**918 Red Magma**

**PINARELLO**  
Think Asymmetric



# DOGMA F10 DISK

**Carbon Torayca T1100 1K Dream Carbon**  
with Nanoalloy Technology

**Asymmetric Frame**

**Fork ONDA F10 with ForkFlap™**

**Think2 System with E-Link™**

**ICR™** Internal Cable Routing

**Drop in Bearing System 1" 1/8 - 1"1/2**

**Italian thread BB**

Seatclamp **TwinForce**

**3XAir™** two positions available

**FlatBack Profile**

**UCI Approved**

**RAD SYSTEM** Disk brake

**Front Axle 100x12mm Shimano®**

**Rear Axle 142x12mm Shimano®**

**Disk Flat Mount max 160mm**

**Max Tyre 700x25mm**

**920 Team Sky**

**PINARELLO**  
Think Asymmetric





Carbon Torayca T1100 1K  
with Nanoalloy Technology  
Asymmetric Frame  
Think2 System  
Internal Cable Routing  
Drop in Bearing System 1" 1/8 - 1"1/2  
Italian BB  
TwinForce Closure  
FlatBack Profile  
UCI Approved  
Max Tyre 700x23mm

**19** Carbon / matt · Red / shiny

**PINARELLO**  
Think Asymmetric





Carbon Torayca T1100 1K  
with Nanoalloy Technology  
Asymmetric Frame  
Think2 System  
Internal Cable Routing  
Drop in Bearing System 1" 1/8 - 1"1/2  
Italian BB  
TwinForce Closure  
FlatBack Profile  
UCI Approved  
Max Tyre 700x23mm

22 BoB / matt

**PINARELLO**  
ThinkAsymmetric





DOGMA  
**K10S**  
DISK

# DOGMA K10 DISK

**Carbon Torayca T1100 1K Dream Carbon**  
with Nanoalloy Technology  
**Asymmetric Frame**  
**Fork ONDA F10 with ForkFlap™**  
**Think2 System with E-Link™**  
**ICR™** Internal Cable Routing  
Drop in Bearing System **1" 1/8 - 1" 1/2**  
**Italian thread BB**  
Seatclamp **TwinForce**  
**3XAir™** two positions available  
**eDSS** Electronic suspension or **DSS** suspension  
**FlatBack Profile**  
**UCI Approved**  
**RAD SYSTEM** Disk brake  
**Front Axle 100x12mm Shimano®**  
**Rear Axle 142x12mm Shimano®**  
**Disk Flat Mount max 160mm**  
**Max Tyre 700x28mm**

**698 White Orange**

**PINARELLO**  
ThinkAsymmetric



# DOGMA K10 DISK

**Carbon Torayca T1100 1K Dream Carbon**  
with Nanoalloy Technology  
**Asymmetric Frame**  
**Fork ONDA F10 with ForkFlap™**  
**Think2 System with E-Link™**  
**ICR™** Internal Cable Routing  
Drop in Bearing System **1" 1/8 - 1" 1/2**  
**Italian thread BB**  
Seatclamp **TwinForce**  
**3XAir™** two positions available  
**eDSS** Electronic suspension or **DSS** suspension  
**FlatBack Profile**  
**UCI Approved**  
**RAD SYSTEM** Disk brake  
**Front Axle 100x12mm** Shimano®  
**Rear Axle 142x12mm** Shimano®  
**Disk Flat Mount max 160mm**  
**Max Tyre 700x28mm**

**699 Black Red**

**PINARELLO**  
ThinkAsymmetric



# DOGMA K10 DISK

**Carbon Torayca T1100 1K Dream Carbon**  
with Nanoalloy Technology  
**Asymmetric Frame**  
**Fork ONDA F10 with ForkFlap™**  
**Think2 System with E-Link™**  
**ICR™** Internal Cable Routing  
Drop in Bearing System **1" 1/8 - 1" 1/2**  
**Italian thread BB**  
Seatclamp **TwinForce**  
**3XAir™** two positions available  
**eDSS** Electronic suspension or **DSS** suspension  
**FlatBack Profile**  
**UCI Approved**  
**RAD SYSTEM** Disk brake  
**Front Axle 100x12mm** Shimano®  
**Rear Axle 142x12mm** Shimano®  
**Disk Flat Mount max 160mm**  
**Max Tyre 700x28mm**

**700 BoB**

**PINARELLO**  
ThinkAsymmetric





**DOGMA**  
**K10**

# DOGMA K10

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology  
**Asymmetric Frame**  
**Fork ONDA F10** with **ForkFlap™**  
**Think2 System** with **E-Link™**  
**ICR™** Internal Cable Routing  
Drop in Bearing System **1" 1/8 - 1" 1/2**  
**Italian thread BB**  
Seatclamp **TwinForce**  
**3XAir™** two positions available  
for the second bottle  
**FlatBack Profile**  
**UCI Approved**  
**Max Tyre 700x28mm**

**PINARELLO**  
ThinkAsymmetric

703 BoB



# DOGMA K10

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology  
**Asymmetric Frame**  
**Fork ONDA F10** with ForkFlap™  
**Think2 System** with E-Link™  
ICR™ Internal Cable Routing  
Drop in Bearing System 1" 1/8 - 1" 1/2  
**Italian thread BB**  
Seatclamp **TwinForce**  
**3XAir™** two positions available  
for the second bottle  
**FlatBack Profile**  
UCI Approved  
Max Tyre 700x28mm

**PINARELLO**  
ThinkAsymmetric

701 White Orange



# DOGMA K10

Carbon Torayca T1100 1K Dream Carbon  
with Nanoalloy Technology

Asymmetric Frame

Fork ONDA F10 with ForkFlap™

Think2 System with E-Link™

ICR™ Internal Cable Routing

Drop in Bearing System 1" 1/8 - 1" 1/2

Italian thread BB

Seatclamp TwinForce

3XAir™ two positions available  
for the second bottle

FlatBack Profile

UCI Approved

Max Tyre 700x28mm

PINARELLO  
ThinkAsymmetric

702 Black Red





**GAN  
RS**

Carbon Fiber T900  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

**130 La Rossa**



# GAN RS

Carbon Fiber T900  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

## 131 Maglia NERA



**GAN**  
**RS**

Carbon Fiber T900  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

### 132 Asteroid SKY



**GAN  
RS**

Carbon Fiber T900  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

### 133 Pinky EasyFIT



# GAN RS

Carbon Fiber T900  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

## 134 ITALIA







Carbon Fiber T700  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

**175 Carbon Matt RED Shiny**





Carbon Fiber T700  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved

**176 Carbon Matt  
Sky Blue Shiny**

**PINARELLO**  
ThinkAsymmetric





Carbon Fiber T700  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

### 177 Carbon Matt BOB





Carbon Fiber T700  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved



## 178 Carbon Matt Pinky Shiny





Carbon Fiber T700  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

### 179 Red Shiny Matt Carbon





Carbon Fiber T700  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
Think Asymmetric

### 180 Silver Matt Red Shiny





# GAN

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

## 141 Carbon RED



# GAN

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

**142 RED**



# GAN

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

**143 WHITE**



# GAN

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

**144 BoB**



# GAN

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

## 145 Carbon Pink Orange



# GAN

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

## 146 Carbon Sky Yellow Fluo





# GAN DISK

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
RAD SYSTEM Disk brake  
Front Axle 100x12mm Shimano®  
Rear Axle 142x12mm Shimano®  
Disk Flat Mount max 160mm  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

**148** Orange Shiny



# GAN DISK

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
RAD SYSTEM Disk brake  
Front Axle 100x12mm Shimano®  
Rear Axle 142x12mm Shimano®  
Disk Flat Mount max 160mm  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

147 Carbon - Red



# GAN DISK

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
RAD SYSTEM Disk brake  
Front Axle 100x12mm Shimano®  
Rear Axle 142x12mm Shimano®  
Disk Flat Mount max 160mm  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

149 BoB





**GAN**  
**DISK**



Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
RAD SYSTEM Disk brake  
Front Axle 100x12mm Shimano®  
Rear Axle 142x12mm Shimano®  
Disk Flat Mount max 160mm  
Max Tyre 700x28mm  
UCI Approved

151 Silver Red





Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
RAD SYSTEM Disk brake  
Front Axle 100x12 Shimano®  
Rear Axle 142x12mm Shimano®  
Disk Flat Mount max 160mm  
Max Tyre 700x28mm  
UCI Approved

150 Carbon - Red





Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
RAD SYSTEM Disk brake  
Front Axle 100x12mm Shimano®  
Rear Axle 142x12mm Shimano®  
Disk Flat Mount max 160mm  
Max Tyre 700x28mm  
UCI Approved

152 BoB





**GAN**  
**GRS**  
**DISK**

**GAN**  
**GRS**  
**DISK**

**PINARELLO**  
Think Asymmetric

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
DSS 1.0 - Elastomeric Damper and FLEX STAYS  
RAD SYSTEM Disk brake  
Front Axle 100x12mm Shimano®  
Rear Axle 142x12mm Shimano®  
Disk Flat Mount max 160mm  
Max Tyre 700x35mm

**155 Carbon Matt**  
**Shiny Blue**



**GAN**  
**GRS**  
**DISK**

**PINARELLO**  
ThinkAsymmetric

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
DSS 1.0 - Elastomeric Damper and FLEX STAYS  
RAD SYSTEM Disk brake  
Front Axle 100x12mm Shimano®  
Rear Axle 142x12mm Shimano®  
Disk Flat Mount max 160mm  
Max Tyre 700x35mm

**153 Carbon Red**



**GAN  
GRS  
DISK**

**PINARELLO**  
ThinkAsymmetric

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
DSS 1.0 - Elastomeric Damper and FLEX STAYS  
RAD SYSTEM Disk brake  
Front Axle 100x12mm Shimano®  
Rear Axle 142x12mm Shimano®  
Disk Flat Mount max 160mm  
Max Tyre 700x35mm

**154 Red**



**GAN  
GRS  
DISK**

**PINARELLO**  
ThinkAsymmetric

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
DSS 1.0 - Elastomeric Damper and FLEX STAYS  
RAD SYSTEM Disk brake  
Front Axle 100x12mm Shimano®  
Rear Axle 142x12mm Shimano®  
Disk Flat Mount max 160mm  
Max Tyre 700x35mm

156 White





  
**GAN**  
**GR**  
**DISK**

**GAN**  
**GR**  
**DISK**

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Flex Stays RAD SYSTEM Disk brake  
Front Axle 100x12mm Shimano®  
Rear Axle 142x12mm Shimano®  
Disk Flat Mount max 160mm  
Max Tyre 700x35mm

**159 Carbon Matt**  
**Shiny Orange**

**PINARELLO**  
ThinkAsymmetric



**GAN  
GR  
DISK**

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Flex Stays RAD SYSTEM Disk brake  
Front Axle 100x12mm Shimano®  
Rear Axle 142x12mm Shimano®  
Disk Flat Mount max 160mm  
Max Tyre 700x35mm

**PINARELLO**  
Think Asymmetric

157 Carbon Red



**GAN  
GR  
DISK**

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Flex Stays RAD SYSTEM Disk brake  
Front Axle 100x12mm Shimano®  
Rear Axle 142x12mm Shimano®  
Disk Flat Mount max 160mm  
Max Tyre 700x35mm

**PINARELLO**  
ThinkAsymmetric

158 Red



**GAN  
GR  
DISK**

**PINARELLO**  
Think Asymmetric

Carbon Fiber T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
FSC Frontal Seat Clamp  
FlatBack Profile  
Flex Stays RAD SYSTEM Disk brake  
Front Axle 100x12mm Shimano®  
Rear Axle 142x12mm Shimano®  
Disk Flat Mount max 160mm  
Max Tyre 700x35mm

160 White





RAZHA

# RAZHA

Carbon T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
Seatpost Round Ø31.6mm  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

102 Carbon Shiny



# RAZHA

Carbon T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
Seatpost Round Ø31.6mm  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

103 Carbon Red Shiny



# RAZHA

Carbon T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
Seatpost Round Ø31.6mm  
Max Tyre 700x23mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

104 White Shiny





**ANGLIRU**

# ANGLIRU

Carbon T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
Seatpost Round Ø31.6mm  
Max Tyre 700x28mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

99 Carbon / shiny Fluo



# ANGLIRU

Carbon T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
Seatpost Round Ø31.6mm  
Max Tyre 700x28mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

100 Carbon Red Shiny



# ANGLIRU

Carbon T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
Seatpost Round Ø31.6mm  
Max Tyre 700x28mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

101 Carbon White Shiny





**MERCURIO**  
**DISK**

# MERCURIO DISK

Carbon T600  
Drop in Bearing System 1" 1/8 - 1" 1/4  
Think2 System  
Internal Cable Routing  
Italian BB  
RAD SYSTEM Disk brake  
Disk Post Mount max 160mm  
Seatpost Round Ø31.6mm  
Max Tyre 700x28 mm with fenders

**PINARELLO**  
ThinkAsymmetric

161 Red



Carbon T600  
Drop in Bearing System 1" 1/8 - 1" 1/4  
Think2 System  
Internal Cable Routing  
Italian BB  
RAD SYSTEM Disk brake  
Disk Post Mount max 160mm  
Seatpost Round Ø31.6mm  
Max Tyre 700x28 mm with fenders

77 Carbon - Yellow Fluo / matt



**MERCURIO**  
**DISK**

Carbon T600  
Drop in Bearing System 1" 1/8 - 1" 1/4  
Think2 System  
Internal Cable Routing  
Italian BB  
RAD SYSTEM Disk brake  
Disk Post Mount max 160mm  
Seatpost Round Ø31.6mm  
Max Tyre 700x28 mm with fenders

**PINARELLO**  
Think Asymmetric

76 Carbon - Red / matt



# MERCURIO DISK

Carbon T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/4  
Think2 System  
Internal Cable Routing  
Italian BB  
RAD SYSTEM Disk brake  
Disk Flat Mount max 160mm  
Seatpost Round Ø31.6mm  
Max Tyre 700x28 mm with fenders

PINARELLO  
ThinkAsymmetric

78 White - Pink / shiny





**NEOR**

# NEOR

Alloy 6061 T6  
Hydroformed Frame  
ONDA Carbon Fork  
Carbon Rear Stays  
Drop in 1" 1/8 - 1" 1/2  
External Cable Routing  
Italian BB  
Max Tires 700x23mm  
Seatpost Round Ø31.6mm  
UCI Approved

**PINARELLO**  
Think Asymmetric

72 Black - Red / shiny



# NEOR

Alloy 6061 T6  
Hydroformed Frame  
ONDA Carbon Fork  
Carbon Rear Stays  
Drop in 1" 1/8 - 1" 1/2  
External Cable Routing  
Italian BB  
Max Tires 700x23mm  
Seatpost Round Ø31.6mm  
UCI Approved

**PINARELLO**  
Think Asymmetric

73 White / shiny



# PRIMA

Alloy 6061 T6  
Hydroformed Frame  
ONDA Carbon Fork  
Drop in 1" 1/8 - 1" 1/2  
External Cable Routing  
Italian BB  
Max Tires 700x23mm  
Seatpost Round Ø31.6mm

**PINARELLO**  
ThinkAsymmetric

**74** Black-Yellow Fluo-Sky / shiny



# PRIMA

Alloy 6061 T6  
Hydroformed Frame  
ONDA Carbon Fork  
Drop in 1" 1/8 - 1" 1/2  
External Cable Routing  
Italian BB  
Max Tires 700x23mm  
Seatpost Round Ø31.6mm

**PINARELLO**  
ThinkAsymmetric

75 White - Red / shiny



## SPEEDY T6

Alloy 6061 T6  
Aluminium Fork  
Drop in 1" 1/8  
External Cable Routing  
Italian BB  
Tire 24"x25mm  
Seatpost Round Ø31.6mm

**PINARELLO**  
ThinkAsymmetric

792 Black / matt



## SPEEDY T6

Alloy 6061 T6  
Aluminium Fork  
Drop in 1" 1/8  
External Cable Routing  
Italian BB  
Tire 24"x25mm  
Seatpost Round Ø31.6mm

**PINARELLO**  
ThinkAsymmetric

791 White / shiny



# **BOLIDE** HR **PINARELLO**


Carbon T1100 1K  
with NANOALLOY Technology

Track BIKE  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/4  
Italian BB  
Axles Bolt-ON  
Max Tires 700x23  
Seatpost Aero with Aero Rear Clamp  
UCI Approved

**PINARELLO**  
Think Asymmetric

**866** White - Blue - Red / shiny





**BOLIDE** 



# **BOLIDE TT** **PINARELLO**

Carbon T1100  
with NANOALLOY Technology

Time Trial BIKE  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1"1/4  
Italian BB  
Front Axle Quick Release 100mm  
Rear Axle Quick Release 135mm  
Max Tires 700x23  
Seatpost Aero with Aero Rear Clamp  
UCI Approved

**PINARELLO**  
Think Asymmetric

**899** Team SKY



# MART

Carbon Torayca 60HM1K  
with Nanoalloy Technology  
Integral System Onda 1" 1/4 - 1" 3/4  
BSA BB  
Max Tires 700x23  
Seatpost Aero with Twinforce closure  
UCI Approved

**PINARELLO**  
Think Asymmetric

**766** Black - Red / shiny



# MARAT

Carbon Torayca 60HM1K  
with Nanoalloy Technology  
Asymmetric Frame  
Integral System Onda 1" 1/4 - 1" 3/4  
BSA BB  
Axles Bolt-ON  
Max Tires 700x23  
Seatpost Aero with Twinforce closure  
UCI Approved

**PINARELLO**  
Think Asymmetric

**767** White - Red / shiny





**XTRACK**

# XTRACK

Carbon T900  
Integral System Onda 1" 1/8  
Italian BB  
Axles Bolt-ON  
Maximum Tyres 700x23mm  
Seatpost Round Ø31.6mm

**PINARELLO**  
ThinkAsymmetric

**81** Carbon / matt · Red / shiny





***PISTA***

# PISTA

Aluminium 6061 T6  
Integral System Onda 1" 1/8  
Carbon FORK  
Italian BB  
Axles Bolt-ON  
Maximum Tyres 700x23mm  
Seatpost Round Ø31.6mm

**PINARELLO**  
ThinkAsymmetric

**83** Red / shiny





FDX

# FCX

Carbon T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
RAD SYSTEM Disk brake  
Front Axle Quick Release 100mm  
Rear Axle Quick Release 135mm  
Disk Post Mount max 160mm  
Max Tyre 700x35mm  
Seatpost Round Ø31.6mm  
UCI Approved

**PINARELLO**  
ThinkAsymmetric

**663** Bob / shiny



# FCX

Carbon T600  
Asymmetric Frame  
Drop in Bearing System 1" 1/8 - 1" 1/2  
Think2 System  
Internal Cable Routing  
Italian BB  
RAD SYSTEM Disk brake  
Front Axle Quick Release 100mm  
Rear Axle Quick Release 135mm  
Disk Flat Mount max 160mm  
Max Tyre 700x35mm  
Seatpost Round Ø31.6mm  
UCI Approved

**PINARELLO**  
Think Asymmetric

**664** Carbon - Yellow Fluo / shiny





**TREVISO  
DISK**

# TREVISO DISK

Carbon T600  
Drop in Bearing System 1" 1/8 - 1"1/4  
Think2 System  
Internal Cable Routing  
Italian BB  
RAD SYSTEM Disk brake  
Disk Post Mount max 160mm  
Seatpost Round Ø31.6mm  
Max Tyre 700x28 mm with fenders

**PINARELLO**  
ThinkAsymmetric

79 Urban Grey / matt



# TREVISO DISK

Carbon T600  
Drop in Bearing System 1" 1/8 - 1" 1/4  
Think2 System  
Internal Cable Routing  
Italian BB  
RAD SYSTEM Disk brake  
Disk Post Mount max 160mm  
Seatpost Round Ø31.6mm  
Max Tyre 700x28 mm with fenders

PINARELLO  
ThinkAsymmetric

80 BoB / ma



# TREVISO

Alloy 6061 T6  
Headset 1" 1/8  
Italian BB  
Seatpost Round Ø27.2mm  
Max Tyre 700x28 mm

**PINARELLO**  
ThinkAsymmetric

**724** Rosso / shiny



# TREVISO

Alloy 6061 T6

Headset 1" 1/8

Italian BB

Seatpost Round Ø27.2mm

Max Tyre 700x28 mm

**PINARELLO**  
ThinkAsymmetric

**725** Nero / shiny





*Lungavita*

*Lungavita*  
**LUNGAVITA** Single Speed  
Alloy 6061 T6

**PINARELLO**  
Think Asymmetric

162 ITALIA



*Lungavita*  
**LUNGAVITA** Single Speed  
Alloy 6061 T6

**PINARELLO**  
Think Asymmetric

**249** MAGLIA NERA / shiny



DOGMA  
XM





## DOGMA XM 9.9 Full Suspended

Carbon Torayca 60HM3K

Nanoalloy Technology

Asymmetric Frame System

PinaFIT with ForkStopper

Onda Curve Asymmetric

Think 2 MTB Internal Cable Routing

Xpower System Closure

Suspension 165x38mm (6,5"x1,5")

BBTYPE BB92

Rad System Disk Post Mount Max 180mm

Rear Axle 142x12 Syntace

External Fork Travel 90mm

Deraillieur support Shimano E2

Maximum Tyres 29" x 2,1"

Seatpost Round Ø31.6mm

**XM1** Naked White  
Matt



29"



DOGMA  
**XC**  
29"

**DOGMA  
XC**

Carbon T900  
Nanoalloy Technology  
Asymmetric Frame System  
PinaFIT with ForkStopper  
ONDA XC Twin Arms  
Think 2 MTB Internal Cable Routing  
Xpower System Closure  
BBTYPE BB92  
Rad System Disk Post Mount Max 180mm  
Rear Axle 142x12 Shimano  
External Fork Travel 100mm  
Deraillieur support Shimano E2  
Maximum Tyres 29" x 2,25"  
Seatpost Round Ø31.6mm

**163 Red**

**PINARELLO**  
Think Asymmetric



**29"**

**DOGMA  
XC**

Carbon T900  
Nanoalloy Technology  
Asymmetric Frame System  
PinaFIT with ForkStopper  
ONDA XC Twin Arms  
Think 2 MTB Internal Cable Routing  
Xpower System Closure  
BBTYPE BB92  
Rad System Disk Post Mount Max 180mm  
Rear Axle 142x12 Shimano  
External Fork Travel 100mm  
Derailleur support Shimano E2  
Maximum Tyres 29" x 2,25"  
Seatpost 31,6mm

**PINARELLO**  
ThinkAsymmetric

**85** Carbon / matt · Red / shiny



**29"**

**DOGMA  
XC**

Carbon T900  
Nanoalloy Technology  
Asymmetric Frame System  
PinaFIT with ForkStopper  
ONDA XC Twin Arms  
Think 2 MTB Internal Cable Routing  
Xpower System Closure  
BBTYPE BB92  
Rad System Disk Post Mount Max 180mm  
Rear Axle 142x12 Shimano  
External Fork Travel 100mm  
Derailleur support Shimano E2  
Maximum Tyres 29" x 2,25"  
Seatpost 31,6mm

**84** BoB / matt

**PINARELLO**  
ThinkAsymmetric



**29"**



DOGMA  
XC  
27.5

**DOGMA  
XC**

Carbon T900  
Nanoalloy Technology  
Asymmetric Frame System  
PinaFIT with ForkStopper  
ONDA XC Twin Arms  
Think 2 MTB Internal Cable Routing  
Xpower System Closure  
BBTYPE BB92  
Rad System Disk Post Mount Max 180mm  
Rear Axle 142x12 Shimano  
External Fork Travel 100mm  
Deraillieur support Shimano E2  
Maximum Tyres 27.5" x 2,25"  
Seatpost Round Ø31.6mm

**164 IRIS Blue**

**PINARELLO**  
ThinkAsymmetric



**27.5**

**DOGMA  
XC**

Carbon T900  
Nanoalloy Technology  
Asymmetric Frame System  
PinaFIT with ForkStopper  
ONDA XC Twin Arms  
Think 2 MTB Internal Cable Routing  
Xpower System Closure  
BBTYPE BB92  
Rad System Disk Post Mount Max 180mm  
Rear Axle 142x12 Shimano  
External Fork Travel 100mm  
Deraillieur support Shimano E2  
Maximum Tyres 27.5" x 2,25"  
Seatpost Round Ø31.6mm

86 BoB / matt

**PINARELLO**  
ThinkAsymmetric



**27.5"**

**DOGMA  
XC**

Carbon T900  
Nanoalloy Technology  
Asymmetric Frame System  
PinaFIT with ForkStopper  
ONDA XC Twin Arms  
Think 2 MTB Internal Cable Routing  
Xpower System Closure  
BBTYPE BB92  
Rad System Disk Post Mount Max 180mm  
Rear Axle 142x12 Shimano  
External Fork Travel 100mm  
Deraillieur support Shimano E2  
Maximum Tyres 27.5" x 2,25"  
Seatpost Round Ø31.6mm

**PINARELLO**  
ThinkAsymmetric

**87** Carbon / matt · Yellow Fluo / shiny



**27.5**



**ROKH**  
**XC**  
**29"**

# ROKH XC

Carbon T700  
Asymmetric Frame System  
PinaFIT with ForkStopper  
Think 2 MTB Internal Cable Routing  
BBTYPE BB92  
Rad System Disk Post Mount Max 180mm  
Rear Axle 142x12 Shimano  
External Fork Travel 90mm  
Deraillieur support Shimano E2  
Maximum Tyres 29" x 2,1"  
Seatpost Round Ø31.6mm

**PINARELLO**  
ThinkAsymmetric

**88** Carbon - Yellow Fluo - Sky / matt



29"

**ROKH  
XC**

**PINARELLO**  
Think Asymmetric

Carbon T700  
Asymmetric Frame System  
PinaFIT with ForkStopper  
Think 2 MTB Internal Cable Routing  
BBTYPE BB92  
Rad System Disk Post Mount Max 180mm  
Rear Axle 142x12 Shimano  
External Fork Travel 90mm  
Deraillieur support Shimano E2  
Maximum Tyres 29" x 2,1"  
Seatpost Round Ø31.6mm

**89** Carbon - Silver - Gold / matt



**29"**



**ANDROMEDA**  
e-carbon T700

# ANDROMEDA e<carbon T700

Carbon T700  
SHIMANO STEPS E8000  
Shimano STEPS E8000 central motor  
Shimano 500 Wh battery pack  
Fork travel 120 mm  
Rad system disk Post Mount 180mm  
Rear Axle 142x12 Shimano  
Maximum Tyres 29"x3.0"  
Seatpost round Ø31.6mm  
Internal cable routing

**PINARELLO**  
ThinkAsymmetric

194 Carbon Orange



# ANDROMEDA e<carbon T700

Carbon T700  
SHIMANO STEPS E8000  
Shimano STEPS E8000 central motor  
Shimano 500 Wh battery pack  
Fork travel 120 mm  
Rad system disk Post Mount 180mm  
Rear Axle 142x12 Shimano  
Maximum Tyres 29"x3.0"  
Seatpost round Ø31.6mm  
Internal cable routing

**PINARELLO**  
ThinkAsymmetric

195 Carbon White





**ROKH**  
**HYBRID**  
**7.7**

# ROKH HYBRID 7.7

Alloy 6061 T6  
BOSCH PERFORMANCE  
CX CENTRAL MOTOR  
Bosch 500 Wh battery pack  
Fork travel 120 mm  
Disk brake rotors 180mm  
Rear Axle 142x12 Shimano  
Maximum Tyres 27.5"x2.8"  
Seatpost round Ø31.6mm

**PINARELLO**  
ThinkAsymmetric

012 Black Red



# ROKH HYBRID 7.7

Alloy 6061 T6  
BOSCH PERFORMANCE  
CX CENTRAL MOTOR  
Bosch 500 Wh battery pack  
Fork travel 120 mm  
Disk brake rotors 180mm  
Rear Axle 142x12 Shimano  
Maximum Tyres 27.5"x2.8"  
Seatpost round Ø31.6mm

**PINARELLO**  
ThinkAsymmetric

**013** White Sky



# ROKH HYBRID 7.7

Alloy 6061 T6  
BOSCH PERFORMANCE  
CX CENTRAL MOTOR  
Bosch 500 Wh battery pack  
Fork travel 120 mm  
Disk brake rotors 180mm  
Rear Axle 142x12 Shimano  
Maximum Tyres 27.5"x2.8"  
Seatpost round Ø31.6mm

**PINARELLO**  
ThinkAsymmetric

**010** Black Red




# ROKH HYBRID 7.7

Alloy 6061 T6  
BOSCH PERFORMANCE  
CX CENTRAL MOTOR  
Bosch 500 Wh battery pack  
Fork travel 120 mm  
Disk brake rotors 180mm  
Rear Axle 142x12 Shimano  
Maximum Tyres 27.5"x2.8"  
Seatpost round Ø31.6mm

**PINARELLO**  
ThinkAsymmetric

011 White Sky





## DOGMA F10 / DOGMA XLIGHT / DOGMA F10 Disk

| CF  | CC           | L   | I   | A [°]  | B [°]  | F   | P   | T   | D  | R  | G   | REACH | STACK |
|-----|--------------|-----|-----|--------|--------|-----|-----|-----|----|----|-----|-------|-------|
| 415 | <b>420**</b> | 498 | 113 | 74.40° | 69.15° | 564 | 406 | 105 | 67 | 43 | 367 | 351   | 493   |
| 435 | <b>440</b>   | 503 | 118 | 74.40° | 70.00° | 564 | 406 | 110 | 67 | 43 | 367 | 357   | 501   |
| 455 | <b>465</b>   | 515 | 125 | 74.40° | 70.50° | 573 | 406 | 115 | 72 | 43 | 367 | 367   | 512   |
| 455 | <b>470**</b> | 525 | 128 | 74.00° | 71.40° | 575 | 406 | 125 | 72 | 43 | 367 | 373   | 525   |
| 480 | <b>500</b>   | 525 | 138 | 74.00° | 71.40° | 575 | 406 | 120 | 72 | 43 | 367 | 374   | 520   |
| 495 | <b>515</b>   | 535 | 145 | 73.70° | 72.00° | 577 | 406 | 125 | 72 | 43 | 367 | 380   | 527   |
| 510 | <b>530</b>   | 545 | 149 | 73.70° | 72.50° | 583 | 406 | 139 | 72 | 43 | 367 | 386   | 542   |
| 520 | <b>540</b>   | 550 | 154 | 73.40° | 72.80° | 583 | 406 | 147 | 72 | 43 | 367 | 386   | 550   |
| 530 | <b>550</b>   | 557 | 157 | 73.40° | 72.80° | 590 | 408 | 158 | 72 | 43 | 367 | 389   | 561   |
| 540 | <b>560</b>   | 565 | 164 | 73.00° | 73.20° | 591 | 408 | 165 | 72 | 43 | 367 | 391   | 569   |
| 555 | <b>575</b>   | 575 | 168 | 73.00° | 73.70° | 596 | 408 | 179 | 72 | 43 | 367 | 397   | 584   |
| 575 | <b>595</b>   | 587 | 180 | 72.40° | 73.40° | 605 | 408 | 215 | 67 | 43 | 367 | 394   | 612   |
| 615 | <b>620*</b>  | 620 | 192 | 72.00° | 73.40° | 633 | 411 | 255 | 67 | 43 | 367 | 410   | 651   |

\* DOGMA F10 Xlight NOT AVAILABLE IN 620 SIZE

\*\*DOGMA F10 DISK NOT AVAILABLE IN 420-470 SIZES

## DOGMA K10/ DOGMA K10-S Disk

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| 440 | <b>440</b> | 503 | 118 | 74,40 | 69,50 | 572 | 420 | 115 | 67 | 47 | 373 | 353   | 508   |
| 463 | <b>465</b> | 515 | 125 | 74,40 | 70,00 | 581 | 420 | 120 | 72 | 47 | 373 | 364   | 520   |
| 495 | <b>500</b> | 525 | 138 | 74,00 | 70,90 | 583 | 420 | 125 | 72 | 47 | 373 | 371   | 528   |
| 508 | <b>515</b> | 535 | 145 | 73,70 | 71,50 | 586 | 415 | 130 | 72 | 47 | 373 | 377   | 535   |
| 520 | <b>530</b> | 545 | 149 | 73,70 | 72,00 | 592 | 415 | 144 | 72 | 47 | 373 | 383   | 550   |
| 528 | <b>540</b> | 550 | 154 | 73,40 | 72,30 | 592 | 415 | 152 | 72 | 47 | 373 | 383   | 559   |
| 535 | <b>550</b> | 557 | 157 | 73,40 | 72,30 | 599 | 415 | 163 | 72 | 47 | 373 | 386   | 569   |
| 543 | <b>560</b> | 565 | 164 | 73,00 | 72,70 | 599 | 415 | 170 | 72 | 47 | 373 | 388   | 577   |
| 558 | <b>575</b> | 575 | 168 | 73,00 | 73,20 | 605 | 415 | 184 | 72 | 47 | 373 | 394   | 593   |
| 589 | <b>595</b> | 587 | 180 | 72,40 | 72,90 | 614 | 415 | 220 | 67 | 47 | 373 | 391   | 621   |

## DOGMA F8

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| 416 | <b>420</b> | 498 | 113 | 74,40 | 69,15 | 564 | 406 | 105 | 67 | 43 | 367 | 351   | 493   |
| 436 | <b>440</b> | 503 | 118 | 74,40 | 70,00 | 564 | 406 | 110 | 67 | 43 | 367 | 357   | 501   |
| 456 | <b>465</b> | 515 | 125 | 74,40 | 70,50 | 573 | 406 | 115 | 72 | 43 | 367 | 367   | 512   |
| 456 | <b>470</b> | 525 | 128 | 74,00 | 71,40 | 575 | 406 | 125 | 72 | 43 | 367 | 373   | 525   |
| 488 | <b>500</b> | 525 | 138 | 74,00 | 71,40 | 575 | 406 | 120 | 72 | 43 | 367 | 374   | 520   |
| 514 | <b>515</b> | 535 | 145 | 73,70 | 72,00 | 577 | 406 | 125 | 72 | 43 | 367 | 380   | 527   |
| 518 | <b>530</b> | 545 | 149 | 73,70 | 72,50 | 583 | 406 | 139 | 72 | 43 | 367 | 386   | 542   |
| 527 | <b>540</b> | 550 | 154 | 73,40 | 72,80 | 583 | 406 | 147 | 72 | 43 | 367 | 386   | 550   |
| 538 | <b>550</b> | 557 | 157 | 73,40 | 72,80 | 590 | 408 | 158 | 72 | 43 | 367 | 389   | 561   |
| 548 | <b>560</b> | 565 | 164 | 73,00 | 73,20 | 591 | 408 | 165 | 72 | 43 | 367 | 391   | 569   |
| 563 | <b>575</b> | 575 | 168 | 73,00 | 73,70 | 596 | 408 | 179 | 72 | 43 | 367 | 397   | 584   |
| 581 | <b>595</b> | 587 | 180 | 72,40 | 73,40 | 605 | 408 | 215 | 67 | 43 | 367 | 394   | 612   |
| 618 | <b>620</b> | 620 | 192 | 72,00 | 73,40 | 633 | 411 | 255 | 67 | 43 | 367 | 410   | 651   |

## GAN RS / GAN S / GAN / GAN DISK

| CF  | CC         | L   | I   | A [°] | B [°] | F     | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-------|-----|-----|----|----|-----|-------|-------|
| 435 | <b>440</b> | 503 | 118 | 74,40 | 70,00 | 565   | 408 | 115 | 67 | 43 | 367 | 354   | 506   |
| 460 | <b>465</b> | 515 | 124 | 74,40 | 70,50 | 575   | 408 | 120 | 67 | 43 | 367 | 367   | 513   |
| 495 | <b>500</b> | 525 | 138 | 74,00 | 71,40 | 575   | 408 | 125 | 72 | 43 | 367 | 372   | 525   |
| 510 | <b>515</b> | 535 | 145 | 73,70 | 72,00 | 577,5 | 408 | 130 | 72 | 43 | 367 | 378   | 532   |
| 525 | <b>530</b> | 545 | 149 | 73,70 | 72,50 | 583   | 408 | 139 | 72 | 43 | 367 | 386   | 543   |
| 535 | <b>540</b> | 550 | 154 | 73,40 | 72,80 | 583   | 408 | 152 | 72 | 43 | 367 | 384   | 556   |
| 545 | <b>550</b> | 557 | 157 | 73,40 | 72,80 | 590   | 408 | 163 | 72 | 43 | 367 | 387   | 567   |
| 555 | <b>560</b> | 565 | 163 | 73,00 | 73,20 | 591   | 410 | 170 | 72 | 43 | 367 | 390   | 575   |
| 570 | <b>575</b> | 575 | 168 | 73,00 | 73,70 | 596   | 410 | 184 | 72 | 43 | 367 | 395   | 590   |
| 590 | <b>595</b> | 587 | 180 | 72,40 | 73,40 | 605   | 410 | 210 | 67 | 43 | 367 | 395   | 609   |

## GAN RS EASY FIT / GAN S EASY FIT / GAN EASY FIT / GAN EASY FIT Disk

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| 440 | <b>425</b> | 500 | 117 | 74,00 | 70,00 | 563 | 408 | 115 | 67 | 50 | 367 | 348   | 504   |
| 475 | <b>460</b> | 512 | 127 | 74,00 | 71,00 | 570 | 408 | 130 | 67 | 50 | 367 | 358   | 522   |
| 505 | <b>490</b> | 528 | 139 | 73,50 | 72,00 | 575 | 408 | 145 | 72 | 50 | 367 | 365   | 544   |
| 525 | <b>510</b> | 545 | 149 | 73,00 | 72,00 | 588 | 408 | 155 | 72 | 50 | 367 | 374   | 554   |

## GAN K DISK

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| 435 | <b>425</b> | 495 | 112 | 74,75 | 69,25 | 567 | 415 | 112 | 67 | 47 | 373 | 348   | 504   |
| 450 | <b>440</b> | 502 | 118 | 74,50 | 69,50 | 572 | 415 | 117 | 67 | 47 | 373 | 352   | 510   |
| 480 | <b>470</b> | 515 | 130 | 74,00 | 70,00 | 578 | 415 | 120 | 72 | 47 | 373 | 361   | 519   |
| 510 | <b>500</b> | 530 | 142 | 73,50 | 71,00 | 582 | 415 | 128 | 72 | 47 | 373 | 370   | 530   |
| 540 | <b>530</b> | 550 | 155 | 73,00 | 72,00 | 590 | 415 | 145 | 72 | 47 | 373 | 381   | 550   |
| 570 | <b>560</b> | 570 | 168 | 72,50 | 72,50 | 601 | 415 | 170 | 72 | 47 | 373 | 388   | 576   |
| 600 | <b>590</b> | 595 | 182 | 72,00 | 72,50 | 621 | 415 | 215 | 67 | 47 | 373 | 396   | 614   |

## GAN GR-S DISK / GAN GR DISK

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| 445 | <b>425</b> | 505 | 114 | 74,50 | 69,50 | 578 | 430 | 120 | 62 | 50 | 390 | 349   | 522   |
| 450 | <b>440</b> | 510 | 118 | 74,50 | 69,50 | 583 | 430 | 120 | 67 | 50 | 390 | 354   | 527   |
| 480 | <b>470</b> | 525 | 130 | 74,00 | 70,00 | 593 | 430 | 125 | 67 | 50 | 390 | 366   | 534   |
| 510 | <b>500</b> | 540 | 142 | 73,50 | 71,00 | 597 | 425 | 135 | 67 | 50 | 390 | 375   | 547   |
| 540 | <b>530</b> | 555 | 155 | 73,00 | 72,00 | 599 | 425 | 150 | 67 | 50 | 390 | 381   | 565   |
| 570 | <b>560</b> | 575 | 168 | 72,50 | 72,50 | 610 | 430 | 175 | 67 | 50 | 390 | 389   | 591   |
| 600 | <b>590</b> | 595 | 182 | 72,00 | 72,50 | 625 | 430 | 200 | 67 | 50 | 390 | 396   | 615   |

## RAZHA

| CF  | CC         | L   | I   | A [°] | B [°] | F     | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-------|-----|-----|----|----|-----|-------|-------|
| 460 | <b>440</b> | 503 | 118 | 74,40 | 70,00 | 565   | 406 | 115 | 67 | 43 | 367 | 355   | 505   |
| 485 | <b>465</b> | 515 | 124 | 74,40 | 70,50 | 575   | 406 | 120 | 67 | 43 | 367 | 367   | 512   |
| 520 | <b>500</b> | 525 | 138 | 74,00 | 71,40 | 575   | 406 | 125 | 72 | 43 | 367 | 372   | 525   |
| 535 | <b>515</b> | 535 | 145 | 73,70 | 72,00 | 577,5 | 406 | 130 | 72 | 43 | 367 | 378   | 531   |
| 550 | <b>530</b> | 545 | 149 | 73,70 | 72,50 | 583   | 406 | 144 | 72 | 43 | 367 | 384   | 546   |
| 560 | <b>540</b> | 550 | 154 | 73,40 | 72,80 | 583   | 406 | 152 | 72 | 43 | 367 | 384   | 555   |
| 570 | <b>550</b> | 557 | 157 | 73,40 | 72,80 | 590   | 406 | 163 | 72 | 43 | 367 | 388   | 566   |
| 580 | <b>560</b> | 565 | 163 | 73,00 | 73,20 | 592   | 408 | 170 | 72 | 43 | 367 | 390   | 574   |
| 595 | <b>575</b> | 575 | 168 | 73,00 | 73,70 | 596   | 408 | 184 | 72 | 43 | 367 | 396   | 589   |
| 615 | <b>595</b> | 587 | 180 | 72,40 | 73,40 | 605   | 408 | 210 | 67 | 43 | 367 | 395   | 608   |

## RAZHA EASY FIT

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| 445 | <b>425</b> | 500 | 117 | 74,00 | 70,00 | 563 | 406 | 120 | 72 | 50 | 367 | 345   | 513   |
| 480 | <b>460</b> | 512 | 127 | 74,00 | 71,00 | 570 | 406 | 135 | 72 | 50 | 367 | 355   | 530   |
| 510 | <b>490</b> | 528 | 139 | 73,50 | 72,00 | 575 | 406 | 145 | 72 | 50 | 367 | 365   | 543   |
| 530 | <b>510</b> | 545 | 149 | 73,00 | 72,00 | 588 | 406 | 155 | 72 | 50 | 367 | 375   | 553   |

## ANGLIRU

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| 450 | <b>430</b> | 505 | 122 | 73,50 | 69,50 | 566 | 413 | 120 | 67 | 47 | 373 | 345   | 512   |
| 480 | <b>460</b> | 518 | 131 | 73,50 | 70,50 | 574 | 413 | 130 | 67 | 47 | 373 | 357   | 525   |
| 510 | <b>490</b> | 532 | 139 | 73,50 | 72,00 | 577 | 413 | 140 | 67 | 47 | 373 | 370   | 540   |
| 540 | <b>520</b> | 545 | 152 | 73,00 | 73,00 | 577 | 413 | 160 | 72 | 47 | 373 | 371   | 568   |
| 555 | <b>535</b> | 557 | 157 | 73,00 | 73,00 | 589 | 413 | 175 | 72 | 47 | 373 | 379   | 582   |
| 570 | <b>550</b> | 570 | 161 | 73,00 | 73,00 | 601 | 413 | 190 | 72 | 47 | 373 | 388   | 597   |
| 590 | <b>570</b> | 585 | 172 | 72,50 | 73,00 | 611 | 413 | 215 | 72 | 47 | 373 | 390   | 621   |

## PRIMA

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| 440 | <b>420</b> | 500 | 112 | 74,50 | 69,50 | 565 | 403 | 105 | 64 | 43 | 367 | 355   | 492   |
| 475 | <b>440</b> | 518 | 117 | 74,50 | 71,00 | 579 | 403 | 110 | 64 | 43 | 367 | 374   | 501   |
| 495 | <b>460</b> | 520 | 124 | 74,50 | 71,00 | 580 | 403 | 113 | 67 | 43 | 367 | 375   | 507   |
| 535 | <b>500</b> | 529 | 136 | 74,25 | 72,50 | 573 | 406 | 120 | 72 | 43 | 367 | 380   | 524   |
| 555 | <b>520</b> | 539 | 147 | 73,50 | 72,00 | 582 | 406 | 139 | 72 | 43 | 367 | 378   | 540   |
| 575 | <b>540</b> | 550 | 153 | 73,50 | 73,00 | 583 | 407 | 152 | 72 | 43 | 367 | 385   | 556   |
| 595 | <b>560</b> | 566 | 161 | 73,25 | 73,50 | 592 | 408 | 172 | 72 | 43 | 367 | 393   | 577   |
| 615 | <b>580</b> | 575 | 174 | 72,50 | 73,25 | 596 | 409 | 190 | 69 | 43 | 367 | 390   | 590   |
| 635 | <b>600</b> | 583 | 181 | 72,50 | 73,25 | 604 | 409 | 214 | 64 | 43 | 367 | 392   | 608   |
| 655 | <b>620</b> | 592 | 191 | 72,00 | 73,00 | 610 | 410 | 225 | 64 | 43 | 367 | 392   | 618   |

## NEOR

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| 440 | <b>420</b> | 500 | 112 | 74,50 | 69,50 | 565 | 406 | 105 | 67 | 43 | 367 | 355   | 492   |
| 455 | <b>440</b> | 510 | 118 | 74,50 | 71,00 | 565 | 406 | 110 | 67 | 43 | 367 | 365   | 504   |
| 475 | <b>460</b> | 515 | 123 | 74,50 | 71,00 | 571 | 406 | 115 | 67 | 43 | 367 | 370   | 509   |
| 515 | <b>500</b> | 528 | 136 | 74,25 | 72,25 | 573 | 406 | 120 | 72 | 43 | 367 | 379   | 523   |
| 535 | <b>520</b> | 540 | 146 | 73,65 | 72,00 | 582 | 406 | 139 | 72 | 43 | 367 | 380   | 540   |
| 555 | <b>540</b> | 550 | 154 | 73,45 | 72,80 | 584 | 408 | 152 | 72 | 43 | 367 | 385   | 555   |
| 575 | <b>560</b> | 565 | 160 | 73,35 | 73,45 | 592 | 408 | 172 | 72 | 43 | 367 | 393   | 576   |
| 595 | <b>580</b> | 575 | 174 | 72,50 | 73,15 | 597 | 408 | 190 | 67 | 43 | 367 | 390   | 588   |
| 615 | <b>600</b> | 585 | 180 | 72,50 | 73,15 | 606 | 408 | 214 | 67 | 43 | 367 | 393   | 611   |
| 635 | <b>620</b> | 595 | 192 | 72,00 | 72,90 | 613 | 410 | 235 | 67 | 43 | 367 | 391   | 630   |

## BOLIDE HR

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G     | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-------|-------|-------|
| 514 | <b>450</b> | 488 | 101 | 77,00 | 72,00 | 557 | 385 | 74  | 62 | 43 | 368,5 | 377   | 469   |
| 539 | <b>525</b> | 514 | 118 | 77,00 | 73,00 | 582 | 385 | 94  | 62 | 43 | 368,5 | 402   | 492   |
| 554 | <b>550</b> | 545 | 123 | 77,00 | 73,00 | 614 | 385 | 110 | 62 | 43 | 368,5 | 430   | 508   |

## BOLIDE TT

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G     | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-------|-------|-------|
| 472 | <b>450</b> | 488 | 101 | 77,00 | 72,00 | 559 | 395 | 70  | 57 | 43 | 368,5 | 380   | 461   |
| 492 | <b>485</b> | 507 | 109 | 77,00 | 72,50 | 576 | 395 | 82  | 62 | 43 | 368,5 | 396   | 479   |
| 508 | <b>520</b> | 526 | 117 | 77,00 | 73,00 | 593 | 395 | 96  | 62 | 43 | 368,5 | 413   | 494   |
| 521 | <b>550</b> | 545 | 124 | 77,00 | 73,00 | 614 | 395 | 110 | 62 | 43 | 368,5 | 430   | 507   |

## MAAT

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P     | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-------|-----|----|----|-----|-------|-------|
| 455 | <b>425</b> | 518 | 103 | 76,00 | 73,50 | 545 | 368,5 | 80  | 46 | 19 | 370 | 398   | 472   |
| 480 | <b>450</b> | 533 | 109 | 76,00 | 74,00 | 558 | 368,5 | 95  | 46 | 19 | 370 | 409   | 488   |
| 500 | <b>470</b> | 553 | 122 | 75,00 | 74,00 | 570 | 368,5 | 110 | 46 | 19 | 370 | 418   | 502   |
| 515 | <b>485</b> | 573 | 126 | 75,00 | 74,00 | 590 | 368,5 | 125 | 46 | 19 | 370 | 434   | 517   |
| 530 | <b>500</b> | 593 | 129 | 75,00 | 74,00 | 610 | 368,5 | 140 | 46 | 19 | 370 | 450   | 531   |

## FCX CROSS DISK

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| 490 | <b>470</b> | 525 | 126 | 74,50 | 71,00 | 591 | 425 | 120 | 60 | 50 | 400 | 371   | 535   |
| 530 | <b>500</b> | 540 | 138 | 74,00 | 71,00 | 603 | 425 | 155 | 60 | 50 | 400 | 372   | 568   |
| 550 | <b>530</b> | 555 | 151 | 73,50 | 71,00 | 615 | 425 | 175 | 60 | 50 | 400 | 377   | 587   |
| 580 | <b>560</b> | 580 | 164 | 73,00 | 72,00 | 626 | 425 | 190 | 60 | 50 | 400 | 393   | 606   |

## XTRACK

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| 487 | <b>460</b> | 520 | 117 | 75,25 | 74,50 | 553 | 375 | 110 | 52 | 38 | 367 | 387   | 501   |
| 542 | <b>515</b> | 536 | 138 | 74,50 | 74,50 | 563 | 375 | 144 | 52 | 38 | 367 | 388   | 534   |
| 559 | <b>532</b> | 552 | 142 | 74,50 | 74,50 | 580 | 375 | 160 | 52 | 38 | 367 | 400   | 550   |
| 577 | <b>550</b> | 567 | 147 | 74,50 | 74,50 | 594 | 375 | 174 | 52 | 38 | 367 | 411   | 563   |
| 607 | <b>580</b> | 582 | 162 | 73,80 | 74,50 | 601 | 375 | 204 | 52 | 38 | 367 | 410   | 592   |

## PISTA

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| 452 | <b>415</b> | 500 | 106 | 75,25 | 74,50 | 533 | 404 | 75  | 52 | 38 | 367 | 376   | 468   |
| 487 | <b>450</b> | 520 | 115 | 75,25 | 74,50 | 554 | 404 | 110 | 52 | 38 | 367 | 387   | 501   |
| 542 | <b>510</b> | 536 | 136 | 74,50 | 74,50 | 563 | 404 | 144 | 52 | 38 | 367 | 388   | 534   |
| 559 | <b>525</b> | 552 | 140 | 74,50 | 74,50 | 579 | 404 | 160 | 52 | 38 | 367 | 400   | 550   |
| 577 | <b>540</b> | 567 | 144 | 74,50 | 74,50 | 594 | 404 | 174 | 52 | 38 | 367 | 411   | 563   |
| 607 | <b>570</b> | 582 | 159 | 73,80 | 74,50 | 602 | 404 | 204 | 52 | 38 | 367 | 411   | 592   |

## SPEEDY

| CF  | CC         | L   | I  | A [°] | B [°] | F   | P   | T  | D  | R  | G   | REACH | STACK |
|-----|------------|-----|----|-------|-------|-----|-----|----|----|----|-----|-------|-------|
| 415 | <b>380</b> | 465 | 95 | 75,50 | 72,50 | 526 | 350 | 97 | 39 | 45 | 329 | 353   | 431   |

## MERCURIO DISK - TREVISO CARBON DISK


| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| 420 | <b>420</b> | 515 | 112 | 74,50 | 70,00 | 579 | 413 | 125 | 67 | 47 | 370 | 362   | 517   |
| 450 | <b>450</b> | 535 | 128 | 73,50 | 72,00 | 579 | 413 | 130 | 67 | 47 | 370 | 376   | 529   |
| 500 | <b>500</b> | 550 | 142 | 73,50 | 72,00 | 595 | 413 | 145 | 67 | 47 | 370 | 388   | 543   |
| 540 | <b>540</b> | 565 | 153 | 73,50 | 73,00 | 602 | 413 | 165 | 67 | 47 | 370 | 397   | 565   |

## TREVISO ALU

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| 420 | <b>420</b> | 507 | 113 | 74,40 | 70,00 | 571 | 410 | 105 | 65 | 45 | 367 | 362   | 493   |
| 450 | <b>450</b> | 529 | 128 | 73,50 | 72,00 | 569 | 410 | 110 | 68 | 45 | 367 | 377   | 508   |
| 500 | <b>500</b> | 532 | 142 | 73,50 | 72,00 | 598 | 410 | 125 | 68 | 45 | 367 | 376   | 519   |
| 540 | <b>540</b> | 559 | 153 | 73,50 | 72,00 | 603 | 410 | 145 | 68 | 45 | 367 | 398   | 541   |
| 580 | <b>580</b> | 580 | 169 | 73,00 | 73,00 | 610 | 410 | 155 | 68 | 45 | 367 | 411   | 554   |

## LUNGAVITA

| CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| 485 | <b>450</b> | 520 | 117 | 75,00 | 71,00 | 580 | 404 | 110 | 69 | 43 | 373 | 377   | 512   |
| 515 | <b>480</b> | 536 | 132 | 74,00 | 72,50 | 580 | 404 | 135 | 69 | 43 | 373 | 379   | 541   |
| 545 | <b>510</b> | 552 | 145 | 73,50 | 73,00 | 588 | 404 | 160 | 69 | 43 | 373 | 384   | 566   |
| 565 | <b>530</b> | 567 | 150 | 73,50 | 73,00 | 600 | 404 | 180 | 66 | 43 | 373 | 394   | 582   |
| 595 | <b>560</b> | 582 | 164 | 73,00 | 73,00 | 612 | 404 | 204 | 66 | 43 | 373 | 397   | 605   |



## DOGMA XM 9.9

| SIZE | CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|------|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| S    | 420 | <b>608</b> | 586 | 179 | 73,00 | 69,75 | 655 | 450 | 92  | 45 | 44 | 496 | 409   | 581   |
| M    | 450 | <b>608</b> | 605 | 179 | 73,00 | 69,75 | 674 | 450 | 92  | 45 | 44 | 496 | 427   | 581   |
| L    | 490 | <b>616</b> | 624 | 180 | 73,00 | 70,25 | 688 | 450 | 98  | 45 | 44 | 496 | 444   | 589   |
| XL   | 530 | <b>635</b> | 637 | 185 | 73,00 | 70,50 | 698 | 450 | 116 | 45 | 44 | 496 | 452   | 606   |

## DOGMA XC 9.9

| SIZE | CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|------|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| S    | 430 | <b>632</b> | 579 | 180 | 73,50 | 69,75 | 649 | 448 | 92  | 65 | 44 | 501 | 400   | 606   |
| M    | 465 | <b>634</b> | 598 | 185 | 73,00 | 69,75 | 662 | 448 | 92  | 65 | 44 | 501 | 412   | 606   |
| L    | 500 | <b>635</b> | 622 | 191 | 72,50 | 69,75 | 682 | 448 | 97  | 58 | 44 | 501 | 431   | 606   |
| XL   | 540 | <b>656</b> | 642 | 202 | 72,00 | 69,75 | 697 | 448 | 115 | 60 | 44 | 501 | 440   | 622   |

## DOGMA XC 7.7

| SIZE | CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T  | D  | R  | G   | REACH | STACK |
|------|-----|------------|-----|-----|-------|-------|-----|-----|----|----|----|-----|-------|-------|
| XS   | 400 | <b>602</b> | 565 | 165 | 74,00 | 70,00 | 640 | 427 | 92 | 50 | 44 | 485 | 399   | 579   |
| S    | 430 | <b>605</b> | 581 | 172 | 73,50 | 70,50 | 645 | 427 | 92 | 50 | 44 | 485 | 409   | 580   |
| M    | 465 | <b>601</b> | 600 | 175 | 73,00 | 70,50 | 660 | 427 | 97 | 45 | 44 | 485 | 424   | 575   |

## ROKH XC 9.9

| SIZE | CF  | CC         | L   | I   | A [°] | B [°] | F   | P   | T   | D  | R  | G   | REACH | STACK |
|------|-----|------------|-----|-----|-------|-------|-----|-----|-----|----|----|-----|-------|-------|
| XS   | 395 | <b>632</b> | 555 | 170 | 74,00 | 69,50 | 634 | 444 | 95  | 65 | 44 | 501 | 380   | 608   |
| S    | 425 | <b>633</b> | 578 | 180 | 73,50 | 69,50 | 651 | 444 | 95  | 65 | 44 | 501 | 398   | 608   |
| M    | 455 | <b>639</b> | 597 | 187 | 73,00 | 69,50 | 665 | 448 | 98  | 65 | 44 | 501 | 410   | 611   |
| L    | 495 | <b>649</b> | 616 | 195 | 72,50 | 70,00 | 673 | 448 | 105 | 65 | 44 | 501 | 420   | 619   |
| XL   | 545 | <b>616</b> | 629 | 200 | 72,00 | 70,00 | 681 | 448 | 105 | 60 | 44 | 501 | 429   | 614   |

## ROKH XC HYBRID 7.7

| SIZE | CF  | CC           | L   | I     | A [°] | B [°] | F     | P   | T   | D  | R  | G   | REACH | STACK |
|------|-----|--------------|-----|-------|-------|-------|-------|-----|-----|----|----|-----|-------|-------|
| S    | 420 | <b>640,6</b> | 590 | 181,9 | 73,50 | 71,00 | 647,9 | 490 | 105 | 53 | 42 | 503 | 408,1 | 614,2 |
| M    | 470 | <b>650,4</b> | 605 | 184,7 | 73,50 | 71,00 | 663,3 | 490 | 115 | 53 | 42 | 503 | 420,3 | 623,7 |
| L    | 520 | <b>660,3</b> | 630 | 187,5 | 73,50 | 71,00 | 688,7 | 490 | 125 | 53 | 42 | 503 | 442,5 | 633,1 |

## ANDROMEDA CARBON HYBRID 9.9

| SIZE | CF  | CC         | L   | I     | A [°] | B [°] | F     | P   | T   | D  | R  | G   | REACH | STACK |
|------|-----|------------|-----|-------|-------|-------|-------|-----|-----|----|----|-----|-------|-------|
| S    | 432 | <b>664</b> | 590 | 188,5 | 73,50 | 69,00 | 673   | 455 | 132 | 51 | 51 | 510 | 401,5 | 636,2 |
| M    | 483 | <b>664</b> | 615 | 188,5 | 73,50 | 69,00 | 698   | 455 | 132 | 51 | 51 | 510 | 426,5 | 637   |
| L    | 535 | <b>673</b> | 635 | 196,7 | 73,00 | 69,00 | 712,5 | 455 | 140 | 51 | 51 | 510 | 438,3 | 643,5 |

# 2018 Tech Features

| MODEL                   | MATERIAL                 | DISCIPLINE  | UCI LABEL | ASYM SYSTEM | BRAKE           | BOTTOM BRACKET | HEADSET                                | CABLE ROUTING | AXLES         | SUSPENSION              |
|-------------------------|--------------------------|-------------|-----------|-------------|-----------------|----------------|----------------------------------------|---------------|---------------|-------------------------|
| <b>DOGMA F10 Xlight</b> | Carbon T1100 UD Torayca  | ROAD RACING | YES       | YES         | RIM standard    | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2) | Think 2       | Quick Release | NO                      |
| <b>DOGMA F10</b>        | Carbon T1100 1K Torayca  | ROAD RACING | YES       | YES         | RIM standard    | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2) | Think 2       | Quick Release | NO                      |
| <b>DOGMA F10 Disk</b>   | Carbon T1100 1k Torayca® | ROAD RACING | YES       | YES         | DISK Flat Mount | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2) | Think2        | Thru Axle     | NO                      |
| <b>DOGMA K10-s Disk</b> | Carbon T1100 1k Torayca® | ROAD RACING | YES       | YES         | DISK Flat Mount | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2) | Think2        | Thru Axle     | DSS / eDSS (electronic) |
| <b>DOGMA K10</b>        | Carbon T1100 1k Torayca® | ROAD RACING | YES       | YES         | RIM standard    | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2) | Think2        | Quick Release | NO                      |
| <b>DOGMA F8</b>         | Carbon T1100 1k Torayca® | ROAD RACING | YES       | YES         | RIM standard    | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2) | Think 2       | Quick Release | NO                      |
| <b>GAN RS</b>           | Carbon T900              | ROAD RACING | YES       | YES         | RIM standard    | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2) | Think2        | Quick Release | NO                      |
| <b>GAN S</b>            | Carbon T700              | ROAD RACING | YES       | YES         | RIM standard    | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2) | Think2        | Quick Release | NO                      |
| <b>GAN</b>              | Carbon T600              | ROAD RACING | YES       | YES         | RIM standard    | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2) | Think2        | Quick Release | NO                      |
| <b>GAN Disk</b>         | Carbon T600              | ROAD RACING | YES       | YES         | DISK Flat Mount | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2) | Think2        | Thru Axle     | NO                      |
| <b>GAN K Disk</b>       | Carbon T600              | ROAD RACING | YES       | YES         | DISK Flat Mount | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2) | Think2        | Thru Axle     | NO                      |
| <b>GAN GR</b>           | Carbon T600              | GRAVEL      | NO        | YES         | DISK Flat Mount | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2) | Think2        | Thru Axle     | NO                      |
| <b>GAN GR-s Disk</b>    | Carbon T600              | GRAVEL      | NO        | YES         | DISK Flat Mount | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2) | Think2        | Thru Axle     | DSS 1.0                 |
| <b>RAZHA</b>            | Carbon T600              | ROAD RACING | YES       | YES         | RIM standard    | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2) | Think2        | Quick Release | NO                      |
| <b>ANGLIRU</b>          | Carbon T600              | ROAD RACING | YES       | YES         | RIM standard    | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2) | Think2        | Quick Release | NO                      |
| <b>MERCURIO Disk</b>    | Carbon T600              | ROAD RACING | NO        | NO          | DISK Post Mount | ITALIAN Thread | Drop In (Upper 1-1/8 - Lower 1-1/4)    | Think2        | Quick Release | NO                      |

| MODEL                      | MATERIAL                    | DISCIPLINE  | UCI LABEL | ASYM SYSTEM | BRAKE                | BOTTOM BRACKET | HEADSET                                   | CABLE ROUTING | AXLES         | SUSPENSION                  |
|----------------------------|-----------------------------|-------------|-----------|-------------|----------------------|----------------|-------------------------------------------|---------------|---------------|-----------------------------|
| NEOR                       | Alloy 6061 T6               | ROAD RACING | YES       | NO          | RIM standard         | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2)    | External      | Quick Release | NO                          |
| PRIMA                      | Alloy 6061 T6               | ROAD RACING | NO        | NO          | RIM standard         | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2)    | External      | Quick Release | NO                          |
| TREVISO Disk               | Carbon T600                 | URBAN       | NO        | NO          | DISK Post Mount      | ITALIAN Thread | Drop In (Upper 1-1/8 - Lower 1-1/4)       | Think2        | Quick Release | NO                          |
| BOLIDE HR                  | Carbon T1100 1k<br>Torayca® | TRACK       | YES       | YES         | NO BRAKE             | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/4)    | NO CABLE      | BOLT ON       | NO                          |
| BOLIDE TT                  | Carbon T1100<br>Torayca®    | TIME TRIAL  | YES       | YES         | RIM Pinarello Bolide | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/4)    | Think2        | Quick Release | NO                          |
| MAAT                       | Carbon 60HM 1k<br>Torayca®  | TRACK       | YES       | NO          | NO BRAKE             | BSA            | Integrated<br>(Upper 1-1/4 - Lower 1-3/4) | NO CABLE      | BOLT ON       | NO                          |
| XTRACK                     | Carbon T700                 | TRACK       | YES*      | NO          | NO BRAKE             | ITALIAN Thread | Integrated 1-1/8                          | NO CABLE      | BOLT ON       | NO                          |
| PISTA                      | Alloy 6061 T6               | TRACK       | YES*      | NO          | NO BRAKE             | ITALIAN Thread | Integrated 1-1/8                          | NO CABLE      | BOLT ON       | NO                          |
| TREVISO                    | Alloy 6061 T6               | URBAN       | NO        | NO          | RIM standard         | ITALIAN Thread | Drop In<br>(1-1/8 )                       | External      | Quick Release | NO                          |
| LUNGAVITA                  | Alloy 6061 T6               | URBAN       | NO        | NO          | RIM standard         | ITALIAN Thread | Drop In<br>(1-1/8 )                       | External      | Quick Release | NO                          |
| SPEEDY                     | Alloy 6061 T6               | KIDS        | NO        | NO          | RIM standard         | ITALIAN Thread | Drop In<br>(1-1/8 )                       | External      | Quick Release | NO                          |
| FCX CROSS Disk             | Carbon T700                 | CYCLOCROSS  | YES       | NO          | DISK Post Mount      | ITALIAN Thread | Drop In<br>(Upper 1-1/8 - Lower 1-1/2)    | Think2        | Quick Release | NO                          |
| DOGMA XM 9.9               | Carbon 60HM3k               | OFF-ROAD    | No need   | YES         | DISK Post Mount      | BB92           | Drop In<br>(Upper 1-1/8 - Lower 1-1/2)    | Think2 MTB    | Thru Axle     | 6,5"x1,5"<br>90ant / 85post |
| DOGMA XC 9.9               | Carbon T900                 | OFF-ROAD    | No need   | YES         | DISK Post Mount      | BB92           | Drop In<br>(Upper 1-1/8 - Lower 1-1/2)    | Think2 MTB    | Thru Axle     | 90 mm ant                   |
| DOGMA XC 7.7               | Carbon T900                 | OFF-ROAD    | No need   | YES         | DISK Post Mount      | BB92           | Drop In<br>(Upper 1-1/8 - Lower 1-1/2)    | Think2 MTB    | Thru Axle     | 90 mm ant                   |
| ROKH XC 9.9                | Carbon T700                 | OFF-ROAD    | No need   | YES         | DISK Post Mount      | BB92           | Drop In<br>(Upper 1-1/8 - Lower 1-1/2)    | Think2 MTB    | Thru Axle     | 100 mm ant                  |
| ANDROMEDA XC 9.9<br>HYBRID | Carbon T700                 | EBIKE       | NO        | NO          | DISK Post Mount      | ---            | Drop In<br>(Upper 1-1/8 - Lower 1-1/2)    | Think2 MTB    | Thru Axle     | 120 mm ant                  |
| ROKH XC 7.7 HYBRID         | Alloy 6061 T6               | EBIKE       | No need   | NO          | DISK Post Mount      | ---            | Drop In<br>(Upper 1-1/8 - Lower 1-1/2)    | Think2 MTB    | Thru Axle     | 120 mm ant                  |

\* model ante 2011 – no need of UCI Label



710

  
**PINARELLO**<sup>®</sup>  
Think Asymmetric

Viale della Repubblica 12  
31020 Villorba (TV) Italia  
Tel. +39 0422 420877  
infobike@pinarello.com  
**www.pinarello.com**